# CHHATRAPATI SHAHU MAHARAJ SHIKSHAN SANSTHA'S

## AYURVED MAHAVIDYALAYA,KANCHANWADI,PAITHAN,ROAD,AURANGABAD (MAHARASHTRA) 431011

### Monthwise Analysis of Attendance of Non-Teaching Staff Academic Year 2021

| Sr. No. | Employee Name | Designation | JAN-2021 | | | | | FEB-2021 | | | | | MAR-2021 | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Working Days | Leave | Holiday | Absent/LWP | Payable Days | Working Days | Leave | Holiday | Absent/LWP | Payable Days | Working Days | Leave | Holiday | Absent/LWP | Payable Days |
| 1 | Pradhan Babasaheb Kaduba | Office Superintendent | 24.5 | 0.5 | 6.0 | - | 31.0 | 20.0 | 3.0 | 5.0 | - | 28.0 | 23.5 | 1.5 | 6.0 | - | 31.0 |
| 2 | Gawande Sadashiv Mhasu | Chif Accountant | 24.0 | 1.0 | 6.0 | - | 31.0 | 23.0 | - | 5.0 | - | 28.0 | 17.0 | 8.0 | 6.0 | - | 31.0 |
| 3 | Ghadge Devidas Audambar | Senior Clerk | 24.0 | 1.0 | 6.0 | - | 31.0 | 22.0 | 1.0 | 5.0 | - | 28.0 | 23.5 | 1.5 | 6.0 | - | 31.0 |
| 4 | Deore Subhash Bapurao | Cashier | 24.0 | 1.0 | 6.0 | - | 31.0 | 23.0 | - | 5.0 | - | 28.0 | 24.0 | 1.0 | 6.0 | - | 31.0 |
| 5 | Pathare Dattu Wamanrao | Librarian | 24.0 | 1.0 | 6.0 | - | 31.0 | 21.0 | 2.0 | 5.0 | - | 28.0 | 24.5 | 0.5 | 6.0 | - | 31.0 |
| 6 | Ghorpade Ranjana Laxmanrao | Lab Tech UG | 23.0 | 2.0 | 6.0 | - | 31.0 | 23.0 | - | 5.0 | - | 28.0 | 25.0 | - | 6.0 | - | 31.0 |
| 7 | Palhal Shankar Sheshrao | Lab Tech UG | 23.0 | 2.0 | 6.0 | - | 31.0 | 22.5 | 0.5 | 5.0 | - | 28.0 | 23.0 | 2.0 | 6.0 | - | 31.0 |
| 8 | Nikam Ratan Asaram | Lab Tech UG | 23.0 | 2.0 | 6.0 | - | 31.0 | 23.0 | - | 5.0 | - | 28.0 | 25.0 | - | 6.0 | - | 31.0 |
| 9 | Labde Devidas Pandurang | Administrative Staff | 24.5 | 0.5 | 6.0 | - | 31.0 | 23.0 | - | 5.0 | - | 28.0 | 24.0 | 1.0 | 6.0 | - | 31.0 |
| 10 | Dhage Amol Gangadhar | Lab Asst. PG | 24.0 | 1.0 | 6.0 | - | 31.0 | 23.0 | - | 5.0 | - | 28.0 | 23.0 | 2.0 | 6.0 | - | 31.0 |
| 11 | Shrikhande Seema Deorao | Asst.Librarian | 23.0 | 2.0 | 6.0 | - | 31.0 | 21.0 | 2.0 | 5.0 | - | 28.0 | 25.0 | - | 6.0 | - | 31.0 |
| 12 | Palhal Laxman Dagdu | Administrative Staff | 23.5 | 1.5 | 6.0 | - | 31.0 | 21.0 | 2.0 | 5.0 | - | 28.0 | 20.0 | 5.0 | 6.0 | - | 31.0 |
| 13 | Patel Mohasin Yaqub | Lab Tech UG | 23.0 | 2.0 | 6.0 | - | 31.0 | 23.0 | - | 5.0 | - | 28.0 | 23.0 | 2.0 | 6.0 | - | 31.0 |
| 14 | Jagdale Nishigandha Sainath | Lab Tech PG | 23.0 | 2.0 | 6.0 | - | 31.0 | 23.0 | - | 5.0 | - | 28.0 | 24.0 | 1.0 | 6.0 | - | 31.0 |
| 15 | Shahane Kaveri Pratap | Laboratory Ass.UG | 21.0 | 4.0 | 6.0 | - | 31.0 | 18.0 | 5.0 | 5.0 | - | 28.0 | 25.0 | - | 6.0 | - | 31.0 |
| 16 | Saindane Jayshri Rajendra | Lab Tech PG | 21.5 | 3.5 | 6.0 | - | 31.0 | 21.5 | 1.5 | 5.0 | - | 28.0 | 23.0 | 2.0 | 6.0 | - | 31.0 |
| 17 | Dambalkar Pradnya Bhimrao | Lab Tech PG | - | - | - | 31.0 | - | - | - | - | 28.0 | - | - | - | - | 31.0 | - |
| 18 | Mahadik Ramdas Namdeo | Administrative Staff | 25.0 | - | 6.0 | - | 31.0 | 23.0 | - | 5.0 | - | 28.0 | 23.5 | 1.5 | 6.0 | - | 31.0 |
| 19 | Dhamale Pandurang Valuba | Administrative Staff | 13.0 | 12.0 | 6.0 | - | 31.0 | 22.0 | 1.0 | 5.0 | - | 28.0 | 17.0 | 8.0 | 6.0 | - | 31.0 |
| 20 | Nisargandh Inder Limbaji | Attendant or Peon | 22.5 | 2.5 | 6.0 | - | 31.0 | 22.0 | 1.0 | 5.0 | - | 28.0 | 23.5 | 1.5 | 6.0 | - | 31.0 |
| 21 | Gadade Kondiba Nagorao | Administrative Staff | 23.0 | 2.0 | 6.0 | - | 31.0 | 23.0 | - | 5.0 | - | 28.0 | 24.5 | 0.5 | 6.0 | - | 31.0 |
| 22 | Mote Shridhar Rangnath | Museum Keeper UG | 22.0 | 3.0 | 6.0 | - | 31.0 | 19.5 | 3.5 | 5.0 | - | 28.0 | 25.0 | - | 6.0 | - | 31.0 |
| 23 | Hawade Annarao Laxman | Attendant or Peon | 23.5 | 1.5 | 6.0 | - | 31.0 | 21.0 | 2.0 | 5.0 | - | 28.0 | 23.0 | 2.0 | 6.0 | - | 31.0 |
| 24 | Tawar Mahesh Madanrao | Lab Asst. PG | 25.0 | - | 6.0 | - | 31.0 | 23.0 | - | 5.0 | - | 28.0 | 25.0 | - | 6.0 | - | 31.0 |
| 25 | Shrikhande Manoj Deorao | Library Attendant or Peon | 21.0 | 4.0 | 6.0 | - | 31.0 | 22.0 | 1.0 | 5.0 | - | 28.0 | 24.0 | 1.0 | 6.0 | - | 31.0 |
| 26 | Gore Nana Sonaji | Attendant or Peon | 22.0 | 3.0 | 6.0 | - | 31.0 | 21.0 | 2.0 | 5.0 | - | 28.0 | 23.0 | 2.0 | 6.0 | - | 31.0 |
| 27 | Pawar Bandu Dnyanedeo | Museum Keeper UG | 23.0 | 2.0 | 6.0 | - | 31.0 | 22.0 | 1.0 | 5.0 | - | 28.0 | 25.0 | - | 6.0 | - | 31.0 |
| 28 | Pawar Raju Karbhari | Lab Tech UG | 19.0 | 6.0 | 6.0 | - | 31.0 | 23.0 | - | 5.0 | - | 28.0 | 20.0 | 5.0 | 6.0 | - | 31.0 |
| 29 | Magar Bandu Jagannath | Lab Tech UG | 25.0 | - | 6.0 | - | 31.0 | 23.0 | - | 5.0 | - | 28.0 | 24.0 | 1.0 | 6.0 | - | 31.0 |
| 30 | Waghmode Bebibai Bhanudas | Attendant or Peon | 24.0 | 1.0 | 6.0 | - | 31.0 | 21.0 | 2.0 | 5.0 | - | 28.0 | 25.0 | - | 6.0 | - | 31.0 |
| 31 | Mate Hanumant Dattu | Museum Keeper UG | 23.0 | 2.0 | 6.0 | - | 31.0 | 23.0 | - | 5.0 | - | 28.0 | 25.0 | - | 6.0 | - | 31.0 |
| 32 | Kankal Pushpabai Tukaram | Attendant UG | 25.0 | - | 6.0 | - | 31.0 | 23.0 | - | 5.0 | - | 28.0 | 25.0 | - | 6.0 | - | 31.0 |
| 33 | Zodge Meerabai Sitaram | Attendant UG | 25.0 | - | 6.0 | - | 31.0 | 23.0 | - | 5.0 | - | 28.0 | 25.0 | - | 6.0 | - | 31.0 |
| 34 | Bhagde Dinesh Dashrath | Lifter UG | 25.0 | - | 6.0 | - | 31.0 | 19.0 | 4.0 | 5.0 | - | 28.0 | 24.0 | 1.0 | 6.0 | - | 31.0 |
| 35 | Walkunde Chhayabai Laxman | Attendant UG | 25.0 | - | 6.0 | - | 31.0 | 23.0 | - | 5.0 | - | 28.0 | 17.0 | 8.0 | 6.0 | - | 31.0 |
| 36 | Sawant Nilesh Dnyanoba | Administrative Staff | 24.5 | 0.5 | 6.0 | - | 31.0 | 19.0 | 4.0 | 5.0 | - | 28.0 | 24.0 | 1.0 | 6.0 | - | 31.0 |
| 37 | Gavhane Shivram Baburao | Attendant or Peon | 22.0 | 3.0 | 6.0 | - | 31.0 | 20.0 | 3.0 | 5.0 | - | 28.0 | 23.0 | 2.0 | 6.0 | - | 31.0 |

| Sr. No. | APRIL-2021 | | | | | MAY-2021 | | | | | JUNE-2021 | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Working Days | Leave | Holiday | Absent/LWP | Payable Days | Working Days | Leave | Holiday | Absent/LWP | Payable Days | Working Days | Leave | Holiday | Absent/LWP | Payable Days |
| 1 | 21.5 | 0.5 | 8.0 | - | 30.0 | 21.0 | 2.0 | 8.0 | - | 31.0 | 26.0 | - | 4.0 | - | 30.0 |
| 2 | 21.5 | 0.5 | 8.0 | - | 30.0 | 22.0 | 1.0 | 8.0 | - | 31.0 | 25.0 | 1.0 | 4.0 | - | 30.0 |
| 3 | 21.0 | 1.0 | 8.0 | - | 30.0 | 21.0 | 2.0 | 8.0 | - | 31.0 | 25.0 | 1.0 | 4.0 | - | 30.0 |
| 4 | 22.0 | - | 8.0 | - | 30.0 | 22.0 | 1.0 | 8.0 | - | 31.0 | 26.0 | - | 4.0 | - | 30.0 |
| 5 | 21.0 | 1.0 | 8.0 | - | 30.0 | 23.0 | - | 8.0 | - | 31.0 | 26.0 | - | 4.0 | - | 30.0 |
| 6 | 10.0 | 12.0 | 8.0 | - | 30.0 | 22.0 | 1.0 | 8.0 | - | 31.0 | 25.0 | 1.0 | 4.0 | - | 30.0 |
| 7 | 21.0 | 1.0 | 8.0 | - | 30.0 | 19.0 | 4.0 | 8.0 | - | 31.0 | 26.0 | - | 4.0 | - | 30.0 |
| 8 | 22.0 | - | 8.0 | - | 30.0 | 23.0 | - | 8.0 | - | 31.0 | 26.0 | - | 4.0 | - | 30.0 |
| 9 | 22.0 | - | 8.0 | - | 30.0 | 22.0 | 1.0 | 8.0 | - | 31.0 | 25.0 | 1.0 | 4.0 | - | 30.0 |
| 10 | 22.0 | - | 8.0 | - | 30.0 | 23.0 | - | 8.0 | - | 31.0 | 25.0 | 1.0 | 4.0 | - | 30.0 |
| 11 | 22.0 | - | 8.0 | - | 30.0 | 21.0 | 2.0 | 8.0 | - | 31.0 | 24.0 | 2.0 | 4.0 | - | 30.0 |
| 12 | 18.5 | 3.5 | 8.0 | - | 30.0 | 20.0 | 3.0 | 8.0 | - | 31.0 | 25.0 | 1.0 | 4.0 | - | 30.0 |
| 13 | 20.0 | 2.0 | 8.0 | - | 30.0 | 18.0 | 5.0 | 8.0 | - | 31.0 | 15.0 | 7.0 | 4.0 | 4.0 | 26.0 |
| 14 | 19.5 | 2.5 | 8.0 | - | 30.0 | 20.0 | 3.0 | 8.0 | - | 31.0 | 24.0 | 2.0 | 4.0 | - | 30.0 |
| 15 | 20.5 | 1.5 | 8.0 | - | 30.0 | 19.0 | 4.0 | 8.0 | - | 31.0 | 24.0 | 2.0 | 4.0 | - | 30.0 |
| 16 | 21.0 | 1.0 | 8.0 | - | 30.0 | 18.0 | 5.0 | 8.0 | - | 31.0 | 25.0 | 1.0 | 4.0 | - | 30.0 |
| 17 | - | - | - | 30.0 | - | - | - | - | 31.0 | - | - | - | - | 30.0 | - |
| 18 | 22.0 | - | 8.0 | - | 30.0 | 23.0 | - | 8.0 | - | 31.0 | 25.0 | 1.0 | 4.0 | - | 30.0 |
| 19 | 21.0 | 1.0 | 8.0 | - | 30.0 | 22.0 | 1.0 | 8.0 | - | 31.0 | 26.0 | - | 4.0 | - | 30.0 |
| 20 | 22.0 | - | 8.0 | - | 30.0 | 23.0 | - | 8.0 | - | 31.0 | 26.0 | - | 4.0 | - | 30.0 |
| 21 | 20.5 | 1.5 | 8.0 | - | 30.0 | 9.0 | 14.0 | 8.0 | - | 31.0 | 24.5 | 1.5 | 4.0 | - | 30.0 |
| 22 | 22.0 | - | 8.0 | - | 30.0 | 20.0 | 3.0 | 8.0 | - | 31.0 | 25.0 | 1.0 | 4.0 | - | 30.0 |
| 23 | 21.0 | 1.0 | 8.0 | - | 30.0 | 20.0 | 3.0 | 8.0 | - | 31.0 | 25.0 | 1.0 | 4.0 | - | 30.0 |
| 24 | 22.0 | - | 8.0 | - | 30.0 | 23.0 | - | 8.0 | - | 31.0 | 25.0 | 1.0 | 4.0 | - | 30.0 |
| 25 | 21.0 | 1.0 | 8.0 | - | 30.0 | 20.0 | 3.0 | 8.0 | - | 31.0 | 24.5 | 1.5 | 4.0 | - | 30.0 |
| 26 | 22.0 | - | 8.0 | - | 30.0 | 23.0 | - | 8.0 | - | 31.0 | 24.0 | 2.0 | 4.0 | - | 30.0 |
| 27 | 22.0 | - | 8.0 | - | 30.0 | 21.0 | 2.0 | 8.0 | - | 31.0 | 26.0 | - | 4.0 | - | 30.0 |
| 28 | 9.0 | 13.0 | 8.0 | - | 30.0 | 23.0 | - | 8.0 | - | 31.0 | 26.0 | - | 4.0 | - | 30.0 |
| 29 | 22.0 | - | 8.0 | - | 30.0 | 21.5 | 1.5 | 8.0 | - | 31.0 | 26.0 | - | 4.0 | - | 30.0 |
| 30 | 22.0 | - | 8.0 | - | 30.0 | 20.5 | 2.5 | 8.0 | - | 31.0 | 21.0 | 5.0 | 4.0 | - | 30.0 |
| 31 | 15.0 | 7.0 | 8.0 | - | 30.0 | 16.5 | 6.5 | 8.0 | - | 31.0 | 26.0 | - | 4.0 | - | 30.0 |
| 32 | 22.0 | - | 8.0 | - | 30.0 | 23.0 | - | 8.0 | - | 31.0 | 26.0 | - | 4.0 | - | 30.0 |
| 33 | 22.0 | - | 8.0 | - | 30.0 | 23.0 | - | 8.0 | - | 31.0 | 26.0 | - | 4.0 | - | 30.0 |
| 34 | 20.0 | 2.0 | 8.0 | - | 30.0 | 21.0 | 2.0 | 8.0 | - | 31.0 | 26.0 | - | 4.0 | - | 30.0 |
| 35 | 22.0 | - | 8.0 | - | 30.0 | 21.0 | 2.0 | 8.0 | - | 31.0 | 26.0 | - | 4.0 | - | 30.0 |
| 36 | 21.5 | 0.5 | 8.0 | - | 30.0 | 22.5 | 0.5 | 8.0 | - | 31.0 | 23.5 | 2.5 | 4.0 | - | 30.0 |
| 37 | 19.0 | 3.0 | 8.0 | - | 30.0 | 21.0 | 2.0 | 8.0 | - | 31.0 | 24.0 | 2.0 | 4.0 | - | 30.0 |

| Sr. No. | JULY-2021 | | | | | AUG-2021 | | | | | SEPT-2021 | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Working Days | Leave | Holiday | Absent/LWP | Payable Days | Working Days | Leave | Holiday | Absent/LWP | Payable Days | Working Days | Leave | Holiday | Absent/LWP | Payable Days |
| 1 | 23.0 | 3.0 | 5.0 | - | 31.0 | 22.0 | 2.0 | 7.0 | - | 31.0 | 22.0 | 1.0 | 7.0 | - | 30.0 |
| 2 | 25.0 | 1.0 | 5.0 | - | 31.0 | 23.5 | 0.5 | 7.0 | - | 31.0 | 22.0 | 1.0 | 7.0 | - | 30.0 |
| 3 | 24.5 | 1.5 | 5.0 | - | 31.0 | 22.0 | 2.0 | 7.0 | - | 31.0 | 20.5 | 2.5 | 7.0 | - | 30.0 |
| 4 | 26.0 | - | 5.0 | - | 31.0 | 23.0 | 1.0 | 7.0 | - | 31.0 | 21.0 | 2.0 | 7.0 | - | 30.0 |
| 5 | 26.0 | - | 5.0 | - | 31.0 | 23.0 | 1.0 | 7.0 | - | 31.0 | 22.0 | 1.0 | 7.0 | - | 30.0 |
| 6 | 26.0 | - | 5.0 | - | 31.0 | 23.0 | 1.0 | 7.0 | - | 31.0 | 22.0 | 1.0 | 7.0 | - | 30.0 |
| 7 | 25.0 | 1.0 | 5.0 | - | 31.0 | 18.0 | 6.0 | 7.0 | - | 31.0 | 22.0 | 1.0 | 7.0 | - | 30.0 |
| 8 | 26.0 | - | 5.0 | - | 31.0 | 24.0 | - | 7.0 | - | 31.0 | 23.0 | - | 7.0 | - | 30.0 |
| 9 | 24.0 | 2.0 | 5.0 | - | 31.0 | 23.0 | 1.0 | 7.0 | - | 31.0 | 23.0 | - | 7.0 | - | 30.0 |
| 10 | 25.0 | 1.0 | 5.0 | - | 31.0 | 12.0 | 12.0 | 7.0 | - | 31.0 | 22.0 | 1.0 | 7.0 | - | 30.0 |
| 11 | 25.0 | 1.0 | 5.0 | - | 31.0 | 23.0 | 1.0 | 7.0 | - | 31.0 | 23.0 | - | 7.0 | - | 30.0 |
| 12 | 23.0 | 3.0 | 5.0 | - | 31.0 | 20.0 | 4.0 | 7.0 | - | 31.0 | 21.5 | 1.5 | 7.0 | - | 30.0 |
| 13 | 25.0 | 1.0 | 5.0 | - | 31.0 | 23.0 | 1.0 | 7.0 | - | 31.0 | 22.0 | 1.0 | 7.0 | - | 30.0 |
| 14 | 25.0 | 1.0 | 5.0 | - | 31.0 | 21.5 | 2.5 | 7.0 | - | 31.0 | 23.0 | - | 7.0 | - | 30.0 |
| 15 | 25.0 | 1.0 | 5.0 | - | 31.0 | 20.0 | 4.0 | 7.0 | - | 31.0 | 22.0 | 1.0 | 7.0 | - | 30.0 |
| 16 | 25.0 | 1.0 | 5.0 | - | 31.0 | 22.0 | 2.0 | 7.0 | - | 31.0 | 22.0 | 1.0 | 7.0 | - | 30.0 |
| 17 | - | - | - | 31.0 | - | - | - | - | 31.0 | - | - | - | - | 30.0 | - |
| 18 | 26.0 | - | 5.0 | - | 31.0 | 24.0 | - | 7.0 | - | 31.0 | 23.0 | - | 7.0 | - | 30.0 |
| 19 | 26.0 | - | 5.0 | - | 31.0 | 23.0 | 1.0 | 7.0 | - | 31.0 | 22.0 | 1.0 | 7.0 | - | 30.0 |
| 20 | 24.0 | 2.0 | 5.0 | - | 31.0 | 23.5 | 0.5 | 7.0 | - | 31.0 | 20.5 | 2.5 | 7.0 | - | 30.0 |
| 21 | 23.5 | 2.5 | 5.0 | - | 31.0 | 23.0 | 1.0 | 7.0 | - | 31.0 | 20.5 | 2.5 | 7.0 | - | 30.0 |
| 22 | 25.0 | 1.0 | 5.0 | - | 31.0 | 22.0 | 2.0 | 7.0 | - | 31.0 | 19.0 | 4.0 | 7.0 | - | 30.0 |
| 23 | 19.0 | 7.0 | 5.0 | - | 31.0 | 23.0 | 1.0 | 7.0 | - | 31.0 | 22.0 | 1.0 | 7.0 | - | 30.0 |
| 24 | 23.0 | 3.0 | 5.0 | - | 31.0 | 23.0 | 1.0 | 7.0 | - | 31.0 | 21.0 | 2.0 | 7.0 | - | 30.0 |
| 25 | 25.5 | 0.5 | 5.0 | - | 31.0 | 23.0 | 1.0 | 7.0 | - | 31.0 | 23.0 | - | 7.0 | - | 30.0 |
| 26 | 26.0 | - | 5.0 | - | 31.0 | 16.0 | 8.0 | 7.0 | - | 31.0 | 23.0 | - | 7.0 | - | 30.0 |
| 27 | 26.0 | - | 5.0 | - | 31.0 | 24.0 | - | 7.0 | - | 31.0 | 23.0 | - | 7.0 | - | 30.0 |
| 28 | 26.0 | - | 5.0 | - | 31.0 | 23.0 | 1.0 | 7.0 | - | 31.0 | 23.0 | - | 7.0 | - | 30.0 |
| 29 | 25.0 | 1.0 | 5.0 | - | 31.0 | 23.0 | 1.0 | 7.0 | - | 31.0 | 22.0 | 1.0 | 7.0 | - | 30.0 |
| 30 | 22.0 | 4.0 | 5.0 | - | 31.0 | 23.0 | 1.0 | 7.0 | - | 31.0 | 19.0 | 4.0 | 7.0 | - | 30.0 |
| 31 | 26.0 | - | 5.0 | - | 31.0 | 24.0 | - | 7.0 | - | 31.0 | 22.5 | 0.5 | 7.0 | - | 30.0 |
| 32 | 26.0 | - | 5.0 | - | 31.0 | 24.0 | - | 7.0 | - | 31.0 | 23.0 | - | 7.0 | - | 30.0 |
| 33 | 26.0 | - | 5.0 | - | 31.0 | 24.0 | - | 7.0 | - | 31.0 | 23.0 | - | 7.0 | - | 30.0 |
| 34 | 26.0 | - | 5.0 | - | 31.0 | 22.0 | 2.0 | 7.0 | - | 31.0 | 21.0 | 2.0 | 7.0 | - | 30.0 |
| 35 | 26.0 | - | 5.0 | - | 31.0 | 23.0 | 1.0 | 7.0 | - | 31.0 | 15.0 | 8.0 | 7.0 | - | 30.0 |
| 36 | 25.0 | 1.0 | 5.0 | - | 31.0 | 23.0 | 1.0 | 7.0 | - | 31.0 | 21.0 | 2.0 | 7.0 | - | 30.0 |
| 37 | 13.0 | 13.0 | 5.0 | - | 31.0 | 15.0 | 9.0 | 7.0 | - | 31.0 | 22.0 | 1.0 | 7.0 | - | 30.0 |

| Sr. No. | OCT-2021 | | | | | NOV-2021 | | | | | DEC-2021 | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Working Days | Leave | Holiday | Absent/LWP | Payable Days | Working Days | Leave | Holiday | Absent/LWP | Payable Days | Working Days | Leave | Holiday | Absent/LWP | Payable Days |
| 1 | 22.0 | - | 9.0 | - | 31.0 | 18.5 | 0.5 | 11.0 | - | 30.0 | | | | | |
| 2 | 22.0 | - | 9.0 | - | 31.0 | 19.0 | - | 11.0 | - | 30.0 | | | | | |
| 3 | 15.5 | 6.5 | 9.0 | - | 31.0 | 17.0 | 2.0 | 11.0 | - | 30.0 | | | | | |
| 4 | 20.0 | 2.0 | 9.0 | - | 31.0 | 18.0 | 1.0 | 11.0 | - | 30.0 | | | | | |
| 5 | 22.0 | - | 9.0 | - | 31.0 | 19.0 | - | 11.0 | - | 30.0 | | | | | |
| 6 | 22.0 | - | 9.0 | - | 31.0 | 19.0 | - | 11.0 | - | 30.0 | | | | | |
| 7 | 22.0 | - | 9.0 | - | 31.0 | 18.0 | 1.0 | 11.0 | - | 30.0 | | | | | |
| 8 | 22.0 | - | 9.0 | - | 31.0 | 19.0 | - | 11.0 | - | 30.0 | | | | | |
| 9 | 22.0 | - | 9.0 | - | 31.0 | 17.5 | 1.5 | 11.0 | - | 30.0 | | | | | |
| 10 | 22.0 | - | 9.0 | - | 31.0 | 19.0 | - | 11.0 | - | 30.0 | | | | | |
| 11 | 21.0 | 1.0 | 9.0 | - | 31.0 | 19.0 | - | 11.0 | - | 30.0 | | | | | |
| 12 | 22.0 | - | 9.0 | - | 31.0 | 18.0 | 1.0 | 11.0 | - | 30.0 | | | | | |
| 13 | 21.0 | 1.0 | 9.0 | - | 31.0 | 18.0 | 1.0 | 11.0 | - | 30.0 | | | | | |
| 14 | 21.0 | 1.0 | 9.0 | - | 31.0 | 17.0 | 2.0 | 11.0 | - | 30.0 | | | | | |
| 15 | 20.5 | 1.5 | 9.0 | - | 31.0 | 17.0 | 2.0 | 11.0 | - | 30.0 | | | | | |
| 16 | 21.0 | 1.0 | 9.0 | - | 31.0 | 15.0 | 4.0 | 11.0 | - | 30.0 | | | | | |
| 17 | - | - | - | 31.0 | - | - | - | - | 30.0 | - | | | | | |
| 18 | 22.0 | - | 9.0 | - | 31.0 | 19.0 | - | 11.0 | - | 30.0 | | | | | |
| 19 | 22.0 | - | 9.0 | - | 31.0 | 19.0 | - | 11.0 | - | 30.0 | | | | | |
| 20 | 21.0 | 1.0 | 9.0 | - | 31.0 | 18.0 | 1.0 | 11.0 | - | 30.0 | | | | | |
| 21 | 22.0 | - | 9.0 | - | 31.0 | 16.0 | 3.0 | 11.0 | - | 30.0 | | | | | |
| 22 | 22.0 | - | 9.0 | - | 31.0 | 17.0 | 2.0 | 11.0 | - | 30.0 | | | | | |
| 23 | 21.0 | 1.0 | 9.0 | - | 31.0 | 18.0 | 1.0 | 11.0 | - | 30.0 | | | | | |
| 24 | 17.0 | 5.0 | 9.0 | - | 31.0 | 17.0 | 2.0 | 11.0 | - | 30.0 | | | | | |
| 25 | 21.0 | 1.0 | 9.0 | - | 31.0 | 18.0 | 1.0 | 11.0 | - | 30.0 | | | | | |
| 26 | 21.0 | 1.0 | 9.0 | - | 31.0 | 17.0 | 2.0 | 11.0 | - | 30.0 | | | | | |
| 27 | 22.0 | - | 9.0 | - | 31.0 | 16.0 | 3.0 | 11.0 | - | 30.0 | | | | | |
| 28 | 22.0 | - | 9.0 | - | 31.0 | 18.0 | 1.0 | 11.0 | - | 30.0 | | | | | |
| 29 | 22.0 | - | 9.0 | - | 31.0 | 19.0 | - | 11.0 | - | 30.0 | | | | | |
| 30 | 21.0 | 1.0 | 9.0 | - | 31.0 | 18.0 | 1.0 | 11.0 | - | 30.0 | | | | | |
| 31 | 22.0 | - | 9.0 | - | 31.0 | 17.0 | 2.0 | 11.0 | - | 30.0 | | | | | |
| 32 | 18.0 | 4.0 | 9.0 | - | 31.0 | 19.0 | - | 11.0 | - | 30.0 | | | | | |
| 33 | 22.0 | - | 9.0 | - | 31.0 | 19.0 | - | 11.0 | - | 30.0 | | | | | |
| 34 | 19.5 | 2.5 | 9.0 | - | 31.0 | 15.0 | 4.0 | 11.0 | - | 30.0 | | | | | |
| 35 | 22.0 | - | 9.0 | - | 31.0 | 18.0 | 1.0 | 11.0 | - | 30.0 | | | | | |
| 36 | 22.0 | - | 9.0 | - | 31.0 | 16.0 | 3.0 | 11.0 | - | 30.0 | | | | | |
| 37 | 22.0 | - | 9.0 | - | 31.0 | 19.0 | - | 11.0 | - | 30.0 | | | | | |

| Sr. No. | Employee Name | Designation | JAN-2021 | | | | | FEB-2021 | | | | | MAR-2021 | | | | | APRIL-2021 | | | | | MAY-2021 | | | | | JUNE-2021 | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Working Days | Leave | Holiday | Absent/LWP | Payable Days | Working Days | Leave | Holiday | Absent/LWP | Payable Days | Working Days | Leave | Holiday | Absent/LWP | Payable Days | Working Days | Leave | Holiday | Absent/LWP | Payable Days | Working Days | Leave | Holiday | Absent/LWP | Payable Days | Working Days | Leave | Holiday | Absent/LWP | Payable Days |
| 38 | Punnawad Nagorao Narayan | Multipurpose Worker | 21.0 | 4.0 | 6.0 | - | 31.0 | 22.0 | 1.0 | 5.0 | - | 28.0 | 24.0 | 1.0 | 6.0 | - | 31.0 | 22.0 | - | 8.0 | - | 30.0 | 19.0 | 4.0 | 8.0 | - | 31.0 | 25.0 | 1.0 | 4.0 | - | 30.0 |
| 39 | Galande Sangita Radhakrushna | Lab Asst. PG | 25.0 | - | 6.0 | - | 31.0 | 22.0 | 1.0 | 5.0 | - | 28.0 | 24.0 | 1.0 | 6.0 | - | 31.0 | 22.0 | - | 8.0 | - | 30.0 | 23.0 | - | 8.0 | - | 31.0 | 26.0 | - | 4.0 | - | 30.0 |
| 40 | Kolekar Jaya Dipak | Lab Asst UG | 24.5 | 0.5 | 6.0 | - | 31.0 | 23.0 | - | 5.0 | - | 28.0 | 23.0 | 2.0 | 6.0 | - | 31.0 | 21.0 | 1.0 | 8.0 | - | 30.0 | 23.0 | - | 8.0 | - | 31.0 | 26.0 | - | 4.0 | - | 30.0 |
| 41 | Sonwane Babasaheb Bhanudas | Attendant UG | 22.0 | 3.0 | 6.0 | - | 31.0 | 22.0 | 1.0 | 5.0 | - | 28.0 | 25.0 | - | 6.0 | - | 31.0 | 22.0 | - | 8.0 | - | 30.0 | 18.0 | 5.0 | 8.0 | - | 31.0 | 26.0 | - | 4.0 | - | 30.0 |
| 42 | Kachare Radhabai Baban | Attendant UG | 24.0 | 1.0 | 6.0 | - | 31.0 | 23.0 | - | 5.0 | - | 28.0 | 23.0 | 2.0 | 6.0 | - | 31.0 | 22.0 | - | 8.0 | - | 30.0 | 21.0 | 2.0 | 8.0 | - | 31.0 | 26.0 | - | 4.0 | - | 30.0 |
| 43 | More Pratibha Rajendra | Attendant or Peon | 20.5 | 4.5 | 6.0 | - | 31.0 | 22.0 | 1.0 | 5.0 | - | 28.0 | 23.0 | 2.0 | 6.0 | - | 31.0 | 22.0 | - | 8.0 | - | 30.0 | 22.0 | 1.0 | 8.0 | - | 31.0 | 26.0 | - | 4.0 | - | 30.0 |
| 44 | Solankar Bhausaheb Bhaginath | Multipurpose Worker | 24.0 | 1.0 | 6.0 | - | 31.0 | 20.0 | 3.0 | 5.0 | - | 28.0 | 25.0 | - | 6.0 | - | 31.0 | 21.0 | 1.0 | 8.0 | - | 30.0 | 20.0 | 3.0 | 8.0 | - | 31.0 | 25.0 | 1.0 | 4.0 | - | 30.0 |
| 45 | Gaikwad Kiran Raghunath | Lab Asst.PG | 24.0 | 1.0 | 6.0 | - | 31.0 | 20.0 | 3.0 | 5.0 | - | 28.0 | 25.0 | - | 6.0 | - | 31.0 | 22.0 | - | 8.0 | - | 30.0 | 21.5 | 1.5 | 8.0 | - | 31.0 | 26.0 | - | 4.0 | - | 30.0 |
| 46 | Deokate Eknath Raibhan | Attendant or Peon | 25.0 | - | 6.0 | - | 31.0 | 20.0 | 3.0 | 5.0 | - | 28.0 | 25.0 | - | 6.0 | - | 31.0 | 22.0 | - | 8.0 | - | 30.0 | 20.0 | 3.0 | 8.0 | - | 31.0 | 23.0 | 3.0 | 4.0 | - | 30.0 |
| 47 | Rathod Harshada Ashok | Lab Tech PG | 12.0 | - | 4.0 | 15.0 | 16.0 | 23.0 | - | 5.0 | - | 28.0 | 19.0 | 6.0 | 6.0 | - | 31.0 | 16.0 | 6.0 | 8.0 | - | 30.0 | 16.0 | 2.5 | 8.0 | 4.5 | 26.5 | 26.0 | - | 4.0 | - | 30.0 |
| 48 | Pawar Jyoti Pradhumn | Administrative Staff | 7.0 | - | 1.0 | 23.0 | 8.0 | - | - | - | 28.0 | - | - | - | - | 31.0 | - | - | - | - | 30.0 | - | - | - | - | 31.0 | - | - | - | - | 30.0 | - |
| 49 | Arakha Shivangi Shesharao | Lab Tech PG | 23.0 | 2.0 | 6.0 | - | 31.0 | 19.0 | 5.0 | 4.0 | - | 28.0 | 25.0 | - | 6.0 | - | 31.0 | 17.0 | 5.0 | 8.0 | - | 30.0 | 19.0 | 4.0 | 8.0 | - | 31.0 | 24.0 | 2.0 | 4.0 | - | 30.0 |
| 50 | Tandale Sonam Goverdhanrao | Yoga & Sport Teacher | 17.0 | - | 4.0 | 10.0 | 21.0 | 23.0 | - | 5.0 | - | 28.0 | 23.5 | 1.5 | 6.0 | - | 31.0 | 14.0 | 7.0 | 8.0 | 1.0 | 29.0 | 9.0 | - | 4.0 | 18.0 | 13.0 | 16.5 | 1.0 | 4.0 | 8.5 | 21.5 |
| 51 | Gaikwad Yogesh Sheshrao | Attendant or Peon | 25.0 | - | 6.0 | - | 31.0 | 22.0 | 1.0 | 5.0 | - | 28.0 | 25.0 | - | 6.0 | - | 31.0 | 22.0 | - | 8.0 | - | 30.0 | 23.0 | - | 8.0 | - | 31.0 | 26.0 | - | 4.0 | - | 30.0 |
| 52 | Shirke Baban Laxman | Attendant or Peon | 25.0 | - | 6.0 | - | 31.0 | 22.0 | 1.0 | 5.0 | - | 28.0 | 25.0 | - | 6.0 | - | 31.0 | 22.0 | - | 8.0 | - | 30.0 | 23.0 | - | 8.0 | - | 31.0 | 25.0 | 1.0 | 4.0 | - | 30.0 |
| 53 | Choudhari Shivaji Vitthal | Attendant or Peon | 22.0 | 3.0 | 6.0 | - | 31.0 | 22.0 | 1.0 | 5.0 | - | 28.0 | 25.0 | - | 6.0 | - | 31.0 | 22.0 | - | 8.0 | - | 30.0 | 22.0 | 1.0 | 8.0 | - | 31.0 | 25.0 | 1.0 | 4.0 | - | 30.0 |
| 54 | Kharat Shobha Laxman | Attendant or Peon | 13.0 | 8.0 | 5.0 | 5.0 | 26.0 | 21.0 | 2.0 | 5.0 | - | 28.0 | 20.0 | 2.0 | 6.0 | 3.0 | 28.0 | 20.0 | 2.0 | 8.0 | - | 30.0 | 22.0 | 1.0 | 8.0 | - | 31.0 | 23.0 | 2.0 | 4.0 | 1.0 | 29.0 |
| 55 | Kurhade Kiran Dattu | Lab Asst. PG | 22.0 | 3.0 | 6.0 | - | 31.0 | 22.0 | 1.0 | 5.0 | - | 28.0 | 25.0 | - | 6.0 | - | 31.0 | 22.0 | - | 8.0 | - | 30.0 | 23.0 | - | 8.0 | - | 31.0 | 26.0 | - | 4.0 | - | 30.0 |
| 56 | Bhagwat Sanjay Bhimrao | Store Keeper | 25.0 | - | 6.0 | - | 31.0 | 22.0 | 1.0 | 5.0 | - | 28.0 | 23.0 | 2.0 | 6.0 | - | 31.0 | 22.0 | - | 8.0 | - | 30.0 | 21.5 | 1.5 | 8.0 | - | 31.0 | 26.0 | - | 4.0 | - | 30.0 |
| 57 | Shelke Ganesh Vilas | Museum Keeper UG | 22.0 | - | 6.0 | 3.0 | 28.0 | 17.0 | - | 4.0 | 7.0 | 21.0 | 20.0 | 1.0 | 6.0 | 4.0 | 27.0 | 22.0 | - | 8.0 | - | 30.0 | 16.0 | 1.0 | 8.0 | 6.0 | 25.0 | 8.0 | - | 1.0 | 21.0 | 9.0 |
| 58 | Chande Kaushalya Sandip | Attendant or Peon | 25.0 | - | 6.0 | - | 31.0 | 23.0 | - | 5.0 | - | 28.0 | 25.0 | - | 6.0 | - | 31.0 | 18.0 | 4.0 | 8.0 | - | 30.0 | 21.0 | 2.0 | 8.0 | - | 31.0 | 22.0 | 2.0 | 4.0 | 2.0 | 28.0 |
| 59 | Magar Mangal Ashok | Attendant or Peon | 25.0 | - | 6.0 | - | 31.0 | 23.0 | - | 5.0 | - | 28.0 | 25.0 | - | 6.0 | - | 31.0 | 18.0 | 4.0 | 8.0 | - | 30.0 | 22.0 | 1.0 | 8.0 | - | 31.0 | 23.0 | 3.0 | 4.0 | - | 30.0 |
| 60 | Gaikwad Mina Krushna | Attendant or Peon | 25.0 | - | 6.0 | - | 31.0 | 23.0 | - | 5.0 | - | 28.0 | 25.0 | - | 6.0 | - | 31.0 | 22.0 | - | 8.0 | - | 30.0 | 6.0 | 20.0 | 5.0 | - | 31.0 | 24.0 | 2.0 | 4.0 | - | 30.0 |
| 61 | Dhyakar Chetna Rajendra | Lab Tech PG | **NEW JOINING FROM 25/03/2021** | | | | | | | | | | 5.0 | - | 2.0 | 24.0 | 7.0 | 15.0 | 1.0 | 8.0 | 6.0 | 24.0 | - | - | - | 31.0 | - | 11.0 | - | 2.0 | 17.0 | 13.0 |
| 62 | Nikam Harshal Vinod | Museum Keeper UG | **NEW JOINING FROM 03/06/2021** | | | | | | | | | | | | | | | | | | | | | | | | | 14.0 | - | 2.0 | 14.0 | 16.0 |
| 63 | Wadekar Amey Umesh | Account Assistant | **NEW JOINING FROM 07/06/2021** | | | | | | | | | | | | | | | | | | | | | | | | | 21.0 | - | 3.0 | 6.0 | 24.0 |
| 64 | Raut Ganesh Ramesh | Museum Keeper UG | **NEW JOINING FROM 12/09/2021** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| Sr. No. | Employee Name | Designation | JULY-2021 | | | | | AUG-2021 | | | | | SEPT-2021 | | | | | OCT-2021 | | | | | NOV-2021 | | | | | DEC-2021 | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Working Days | Leave | Holiday | Absent/LWP | Payable Days | Working Days | Leave | Holiday | Absent/LWP | Payable Days | Working Days | Leave | Holiday | Absent/LWP | Payable Days | Working Days | Leave | Holiday | Absent/LWP | Payable Days | Working Days | Leave | Holiday | Absent/LWP | Payable Days | Working Days | Leave | Holiday | Absent/LWP | Payable Days |
| 38 | Punnawad Nagorao Narayan | Multipurpose Worker | 26.0 | - | 5.0 | - | 31.0 | 22.0 | 2.0 | 7.0 | - | 31.0 | 22.0 | 1.0 | 7.0 | - | 30.0 | 22.0 | - | 9.0 | - | 31.0 | 11.0 | 8.0 | 11.0 | - | 30.0 | | | | | |
| 39 | Galande Sangita Radhakrushna | Lab Asst. PG | 24.0 | 2.0 | 5.0 | - | 31.0 | 21.0 | 3.0 | 7.0 | - | 31.0 | 20.5 | 2.5 | 7.0 | - | 30.0 | 21.0 | 1.0 | 9.0 | - | 31.0 | 19.0 | - | 11.0 | - | 30.0 | | | | | |
| 40 | Kolekar Jaya Dipak | Lab Asst UG | 24.0 | 2.0 | 5.0 | - | 31.0 | 23.0 | 1.0 | 7.0 | - | 31.0 | 21.5 | 1.5 | 7.0 | - | 30.0 | 22.0 | - | 9.0 | - | 31.0 | 19.0 | - | 11.0 | - | 30.0 | | | | | |
| 41 | Sonwane Babasaheb Bhanudas | Attendant UG | 25.0 | 1.0 | 5.0 | - | 31.0 | 24.0 | - | 7.0 | - | 31.0 | 23.0 | - | 7.0 | - | 30.0 | 21.0 | 1.0 | 9.0 | - | 31.0 | 18.0 | 1.0 | 11.0 | - | 30.0 | | | | | |
| 42 | Kachare Radhabai Baban | Attendant UG | 23.5 | 2.5 | 5.0 | - | 31.0 | 21.0 | 3.0 | 7.0 | - | 31.0 | 22.0 | 1.0 | 7.0 | - | 30.0 | 20.5 | 1.5 | 9.0 | - | 31.0 | 18.5 | 0.5 | 11.0 | - | 30.0 | | | | | |
| 43 | More Pratibha Rajendra | Attendant or Peon | 24.0 | 2.0 | 5.0 | - | 31.0 | 24.0 | - | 7.0 | - | 31.0 | 6.0 | 17.0 | 7.0 | - | 30.0 | 21.0 | 1.0 | 9.0 | - | 31.0 | 18.0 | 1.0 | 11.0 | - | 30.0 | | | | | |
| 44 | Solankar Bhausaheb Bhaginath | Multipurpose Worker | 24.0 | 2.0 | 5.0 | - | 31.0 | 23.0 | 1.0 | 7.0 | - | 31.0 | 20.0 | 3.0 | 7.0 | - | 30.0 | 21.5 | 0.5 | 9.0 | - | 31.0 | 17.5 | 1.5 | 11.0 | - | 30.0 | | | | | |
| 45 | Gaikwad Kiran Raghunath | Lab Asst.PG | 25.0 | 1.0 | 5.0 | - | 31.0 | 21.0 | 3.0 | 7.0 | - | 31.0 | 22.0 | 1.0 | 7.0 | - | 30.0 | 21.0 | 1.0 | 9.0 | - | 31.0 | 19.0 | - | 11.0 | - | 30.0 | | | | | |
| 46 | Deokate Eknath Raibhan | Attendant or Peon | 24.0 | 2.0 | 5.0 | - | 31.0 | 22.0 | 2.0 | 7.0 | - | 31.0 | 22.0 | 1.0 | 7.0 | - | 30.0 | 21.0 | 1.0 | 9.0 | - | 31.0 | 17.0 | 2.0 | 11.0 | - | 30.0 | | | | | |
| 47 | Rathod Harshada Ashok | Lab Tech PG | 17.0 | 1.0 | 3.0 | 10.0 | 21.0 | 24.0 | - | 7.0 | - | 31.0 | 18.0 | 4.0 | 4.0 | 4.0 | 26.0 | 22.0 | - | 9.0 | - | 31.0 | 12.0 | 6.0 | 11.0 | 1.0 | 29.0 | | | | | |
| 48 | Pawar Jyoti Pradhumn | Administrative Staff | - | - | - | 31.0 | - | - | - | - | 31.0 | - | - | - | - | 30.0 | - | - | - | - | 31.0 | - | - | - | - | 30.0 | - | | | | | |
| 49 | Arakha Shivangi Shesharao | Lab Tech PG | 26.0 | - | 5.0 | - | 31.0 | 12.0 | 8.0 | 5.0 | 6.0 | 25.0 | 23.0 | - | 7.0 | - | 30.0 | 20.5 | 1.5 | 9.0 | - | 31.0 | 19.0 | - | 11.0 | - | 30.0 | | | | | |
| 50 | Tandale Sonam Goverdhanrao | Yoga & Sport Teacher | 18.0 | 2.0 | 4.0 | 7.0 | 24.0 | 24.0 | - | 7.0 | - | 31.0 | 22.0 | 1.0 | 7.0 | - | 30.0 | 21.0 | 1.0 | 9.0 | - | 31.0 | 18.0 | 1.0 | 11.0 | - | 30.0 | | | | | |
| 51 | Gaikwad Yogesh Sheshrao | Attendant or Peon | 26.0 | - | 5.0 | - | 31.0 | 24.0 | - | 7.0 | - | 31.0 | 20.0 | - | 7.0 | 3.0 | 27.0 | 22.0 | - | 9.0 | - | 31.0 | 19.0 | - | 11.0 | - | 30.0 | | | | | |
| 52 | Shirke Baban Laxman | Attendant or Peon | 25.0 | 1.0 | 5.0 | - | 31.0 | 24.0 | - | 7.0 | - | 31.0 | 23.0 | - | 7.0 | - | 30.0 | 22.0 | - | 9.0 | - | 31.0 | 19.0 | - | 11.0 | - | 30.0 | | | | | |
| 53 | Choudhari Shivaji Vitthal | Attendant or Peon | 26.0 | - | 5.0 | - | 31.0 | 20.0 | 4.0 | 7.0 | - | 31.0 | 21.0 | 2.0 | 7.0 | - | 30.0 | 22.0 | - | 9.0 | - | 31.0 | 16.0 | 3.0 | 11.0 | - | 30.0 | | | | | |
| 54 | Kharat Shobha Laxman | Attendant or Peon | 23.0 | 3.0 | 5.0 | - | 31.0 | 21.5 | 2.5 | 7.0 | - | 31.0 | 21.0 | 2.0 | 7.0 | - | 30.0 | 18.0 | 4.0 | 9.0 | - | 31.0 | 15.0 | 4.0 | 11.0 | - | 30.0 | | | | | |
| 55 | Kurhade Kiran Dattu | Lab Asst. PG | 26.0 | - | 5.0 | - | 31.0 | 22.0 | 2.0 | 7.0 | - | 31.0 | 22.0 | 1.0 | 7.0 | - | 30.0 | 21.0 | 1.0 | 9.0 | - | 31.0 | 18.0 | 1.0 | 11.0 | - | 30.0 | | | | | |
| 56 | Bhagwat Sanjay Bhimrao | Store Keeper | 23.5 | 2.5 | 5.0 | - | 31.0 | 23.0 | 1.0 | 7.0 | - | 31.0 | 21.0 | 2.0 | 7.0 | - | 30.0 | 22.0 | - | 9.0 | - | 31.0 | 17.5 | 1.5 | 11.0 | - | 30.0 | | | | | |
| 57 | Shelke Ganesh Vilas | Museum Keeper UG | **Left from 12/06/2021** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 58 | Chande Kaushalya Sandip | Attendant or Peon | 23.0 | 2.0 | 5.0 | 1.0 | 30.0 | 17.0 | 3.0 | 6.0 | 5.0 | 26.0 | 17.0 | 4.0 | 7.0 | 2.0 | 28.0 | 20.0 | 2.0 | 9.0 | - | 31.0 | 2.0 | 7.0 | 7.0 | 14.0 | 16.0 | | | | | |
| 59 | Magar Mangal Ashok | Attendant or Peon | 24.0 | 2.0 | 5.0 | - | 31.0 | 22.0 | 2.0 | 7.0 | - | 31.0 | 19.0 | 4.0 | 7.0 | - | 30.0 | 22.0 | - | 9.0 | - | 31.0 | 17.0 | 2.0 | 11.0 | - | 30.0 | | | | | |
| 60 | Gaikwad Mina Krushna | Attendant or Peon | 23.0 | 3.0 | 5.0 | - | 31.0 | 18.5 | 3.0 | 7.0 | 2.5 | 28.5 | 18.5 | 2.5 | 7.0 | 2.0 | 28.0 | 22.0 | - | 9.0 | - | 31.0 | 16.0 | 3.0 | 11.0 | - | 30.0 | | | | | |
| 61 | Dhyakar Chetna Rajendra | Lab Tech PG | 2.0 | - | - | 29.0 | 2.0 | - | - | - | 31.0 | - | - | - | - | 30.0 | - | 3.0 | - | 1.0 | 27.0 | 4.0 | 17.0 | 2.0 | 11.0 | - | 30.0 | | | | | |
| 62 | Nikam Harshal Vinod | Museum Keeper UG | 24.0 | 2.0 | 5.0 | - | 31.0 | 18.0 | - | 6.0 | 7.0 | 24.0 | **Left from 27/09/2021** | | | | | | | | | | | | | | | | | | | |
| 63 | Wadekar Amey Umesh | Account Assistant | 26.0 | - | 5.0 | - | 31.0 | 23.5 | 0.5 | 7.0 | - | 31.0 | 21.0 | - | 7.0 | 2.0 | 28.0 | 22.0 | - | 9.0 | - | 31.0 | 17.5 | 1.5 | 11.0 | - | 30.0 | | | | | |
| 64 | Raut Ganesh Ramesh | Museum Keeper UG | | | | | | | | | | | 14.0 | - | 5.0 | 11.0 | 19.0 | 22.0 | - | 9.0 | - | 31.0 | 17.0 | 2.0 | 11.0 | - | 30.0 | | | | | |