

Date: 01/01/2025

To Whomsoever It May Concern

We, CSMSS Ayurvedic Mahavidyalaya & Hospital, Kanchanwadi, have been using
Sysmex XP-300 bearing serial number C3969 from 01/01/2025.

We are happy with the performance and reliability of the analyser. The after sales services,
support and attention given by Sysmex and their team is excellent.

We are happy with our ownership experience.

Name: Dr. Anale D.J.

Designation: H.O.D., Professor

H.O.D. & Professor
Dept. of Ragnidan Evum Vikrut Vigraha
Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Ragnataya,
Kanchanwadi, Chhatrapati Sambhajinagar

Customer Name: CSMSS Ayurvedic Mahavidyalaya & Hospital, Kanchanwadi,
Customer Address: Chhatrapati Sambhajinagar.



Principal
Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Ragnataya,
Kanchanwadi, Chhatrapati Sambhajinagar.

XP Series PM Standard Procedure

Sysmex Corporation

Rev.1: July 29, 2021

XP Series Preventive Maintenance Checklist

(Rev.1)

Check item		When to perform	Check	Adjust/ Clean	Replac ing	Remarks
Check before maintenance	Print (Check) setting values		☒			
	Check setting values		☒			
	Check data using control material or samples		☒			
SRV	Disassemble and clean SRV			☒		
	Clean tray			☒		
	Replace whole blood tube manually		☒		☐	
Rinse cup	Rinse rinse cup			☒		
	Replace drain line PharMed tube	Every year	☒		☐	
Waste chamber	Disassemble/rinse or replace waste chamber	Replace: Every 5 years		☒	☐	
	Replace drain line silicone tube	Every year	☒		☐	
Bellows unit	Disassemble and clean bellows unit			☒		
	Rinse orifice tube			☒		
Pneumatic unit	Rinse trap chamber			☒		
	Replace compressor (PSL-21)	Pressure below defined value	☒		☐	
Regulator unit	Replace pneumatic unit protection filter	Every 2 years	☒		☐	
Detector unit	Clean WBC transducer aperture			☒		
	Clean RBC transducer aperture			☒		
	Clean the inside			☒		
Adjust pressure	Adjust 0.05 MPa pressure		☒	☒		
	Adjust -0.0333 MPa pressure		☒	☒		
Hydraulic unit	Perform transducer rinse sequence			☒		
	Perform waste chamber rinse sequence			☒		
Other adjustments	Adjust HGB background count level		☒	☒		
	Adjust WBC clog level		☒	☒		
	Adjust RBC clog level		☒	☒		



Principal
Chhatrapati Shahu Maharaj Shiksha Sanstha's
Ayurved Mahavidyalaya & Ragnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.

H.O.D. & Professor
Dept. of Ragnalaya & Vikas Vigyan
Chhatrapati Shahu Maharaj Shiksha Sanstha's
Ayurved Mahavidyalaya & Ragnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar

Check item		When to perform	Check	Adjust/ Clean	Replac ing	(Rev.1) Remarks
Main unit inside	Clean the inside			☒		
	Lubricate drive unit			☒		
Data check	Check blank level		☒			
	Check data using control material or samples		☒			
Main unit outside	Clean main unit covers			☒		
	Clean peripheral device (printer etc.)			☒		
Check after maintenance	Check program version		☒			
	Check operation count		☒			
	Make a final operation check		☒			
	Check the drain tube fixing		☒			Fix at the draining port

- * The description in "When to perform" is just a rough indication, and differs depending on status of use.
- * If nothing is described in "When to perform" column, the item has to be performed every time.
- * The "Remarks" column is used by the engineer to write comments about replaced parts other than check items and the parts recommended for future check, etc.

[Adjustment item details]

Adjustment item	Specified range	Value before adjustment	Value after adjustment
0.05 MPa pressure	0.05 ± 0.01 MPa	0.05400	0.05300
-0.0333 MPa pressure	-0.0333 ± 0.0013 MPa	-0.03348	-0.0337
HGB background convert	2000 ± 200	2129	2067
WBC clog level	100.0 ± 1.0	188	188
RBC clog level	100.0 ± 1.0	104	108

[Check item details]


Check item	Check result
Program version	Ver14(14-01-00)

- * Refer to the QC chart or stored sample for the control or sample analysis values.

Facility name	CSM55 Ayurvedic Mahavidyalaya & Hospital, Kanchanwadi,		
Instrument name	XP-100/XP-300	Serial NO.	C3369
Service date	29/01/2025		
Name of service engineer	Shripad Rutand		




Principal
Chhatrapati Shahu Maharaj Shiksha Sanstha's
Ayurved Mahavidyalaya & Hospital,
Kanchanwadi, Sambhajinagar.


H.O.D. & Professor
Dept. of Rognidan Evam Vikrit Vigyan
Chhatrapati Shahu Maharaj Shiksha Sanstha's
Ayurved Mahavidyalaya & Hospital,
Kanchanwadi, Chhatrapati Sambhajinagar

CHHATRAPATI SHAHU MAHARAJ SHIKSHAN SANSTHA**Ayurved Mahavidyalaya & Rugnalaya****Kanchanwadi, Paithan Road Dist: Chhatrapati Sambhaji Nagar (M.S.) 431011****Tele : (0240) 2646464, 2376635, 2376248, Fax : (0240) 2376655, E-mail : purchase@csms.org****WORK ORDER****TO,**Labmentor Biomedical Pvt.Ltd
Shop No.04 Yashochandra CHS
Tilak Road ,Panvel Raigad
Phone No.- 9321485436Work Order No : AMA/24-25/0063
Work Order Date : 21-11-2024
Work Order Type : Repairs
Your Reference : Quotation**Party GST Details**Party GSTIN : 27AAECL6568K1ZX
Party State : Maharashtra
Vendor Code : L0005**Party Bank Details**A/C No : 169205001921
Bank : ICICI Bank
IFSC Code : ICIC0001692
Branch : Panvel

Sr.No	Material Description	Unit	Quantity	Rate in (Rs)	Value(Rs)
1	Annual Maintenance Contract Fully Automated Haematology Analyzer Model Sysmex - XP-300 Sr.No.C3969 Terms & Conditions :- Which Includes 2 Preventive Maintenance & 2 Break Down Maintenance Equipment Should Be Functional Before Entering In To The Contract Amc Period 01-11- 2024 To 31-10-2025	Nos	1	18000	18,000
	TOTAL				18,000
	CGST 9%				1,620
	SGST 9%				1,620
				Total	21,240

Rs: Twenty One Thousand Two Hundred Forty OnlyExcise Duty : NIL
GST : Extra
Freight Charges : NIL
Insurance Charges : NIL
P&F Charges : NIL
Labour Charges : NIL
Advance Details : 100% Advance along with order
Balance Payment : NIL
Other : NIL
Delivery Schedule : Immediate
Our GST IN : 27AAATC3866A1Z1**Terms & Conditions:**

- 1.Material Should be securely packed to avoid any damages
- 2.Please send separate Bill for each delivery challan.
- 3.Material will be accepted at our works between 9:30 a.m.to 5:30 p.m.Except on holiday
- 4.Delivery Address:

Prepared By

For C.S.M.S.S. AYURVED MAHAVIDYALAYA
Purchase Officer
Principal
Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rugnalaya,
Kanchanwadi, Chhatrapati Sambhajnagar.
Administrative Officer

AMC CHARGES:-

Annual Maintenance Contract charges for Sysmex XP-300.

Customer: CSMS AYURVEDIC MAHAVIDYALAYA & HOSPITAL, AURANGABAD

Period From : 01/11/2024 To 31/10/2025			Duration : 1 year			
Model	Serial No	PM Visit	Installation	Warranty/ Last Contract Date	AMC/CMC	Amount
XP-300	C3969	2			AMC	18000.00
					CGST Tax @9%	1620.00
					IGST Tax @ 9%	1620.00
					Total Invoice Value	21240.00

GENERAL TERMS AND CONDITIONS:-

1. The customer wishes to avail the services of Labmentor Biomedical Pvt. Ltd. authorized service partner for Sysmex XP100 & Labmentor Biomedical Pvt. Ltd. agrees to provide the services as per the terms and conditions mentioned hereafter.
2. Our engineer shall make two routine / preventive maintenance visits and attend all emergency breakdown calls.
3. AMC covers only labour charges. Spare parts and Consumables will be charged extra.
4. The AMC Charges as per the contract shall be paid on advance basis.
5. The contract does not cover shifting the machine or reinstallation either at the same area or at a different location. The charges towards re-installation, if any, shall be made under our supervision and shall be chargeable extra.
6. At the time of entering into the Annual Maintenance Contract, the equipment should be in perfect working condition.
7. Any service arising out of misuse of the equipment, power fluctuation and accidental damage shall be charged extra. Labmentor Biomedical Pvt. Ltd. Shall not be responsible for any indirect or consequential losses that may arise on account of any damage to the

Principal

Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Hospital,
Kanchanwadi, Sambhajinagar, Aurangabad.



Yashochandra CHS,
Panvel, Raigad 410206.
CIN: U85190MH2021PTC362839
GST NO. : 27AAECL6568K1ZX

LABMENTOR

BIOMEDICALS PVT. LTD

Shop No 4, Yashochandra CHS,
Tilak Road, Panvel, Raigad 410206.
CIN : U85190MH2021PTC362839
GST NO. : 27AAECL6568K1ZX

Mob. : 9321 48 5436 / 9320 08 8881 • Email : labmentorindia@gmail.com

Equipment due to any explosion, fire or accident, riot, sabotage, flood, act of God/Nature etc. during the contract of the equipment.

8. Responsibility for maintenance and servicing of the equipment under Annual Maintenance Contract shall not be applicable if the equipment is found to have been tampered with by any person not authorized by Labmentor Biomedical Pvt. Ltd.

9. Preventive maintenance will be provided as per the plan approved at reasonably spaced intervals to be agreed upon between the Labmentor Biomedical Pvt. Ltd and customer. Repairs and adjustments will be made provided that the need arises from normal usage and not from abuse, labour disputes, fire, water and explosion or as a result of improper power, water or environmental conditions, which are the responsibility of the customer.

10. Labmentor Biomedical Pvt. Ltd. Is only Authorized service provider of Sysmex India Pvt. Ltd for their range of Three Part Differential Hematology Analyzers (Sysmex KX/XP/XQ Series) for Maharashtra, India.

11. The validity of this proposal is only 30 days.

12. Preventive Maintenance visit per annum during office hours, Monday to Friday 08:30 to 18:30 hours

PM kits to be procured by the Users.

13. Repair visits, Monday to Saturday 08:30 to 18:30 hours. (As and when required).

14. OQ, PQ procedure (Material required to be procured by User)

If you find the proposal competitive, kindly sign and return the second copy along with payment.

For Labmentor Biomedical Pvt. Ltd.

Customer: CSMS AYURVEDIC
MAHAVIDYALAYA & HOSPITAL
AURANDABAD.



Principal
Chhatrapati Shahu Maharaj Shiksha Sanstha's
Ayurved Mahavidyalaya & Hospital
Kancherwadi, Chhatrapati Sambhajinagar,
Mumbai



Authorized Signatory.
Date:

Signature:

20244282

Service Report

2202

Customer Name: <u>CSMS Ayurvedic Mahavidyalaya & Hospital, Kanchanwadi</u>				
Address: <u>Aurangabad (Chhatrapati Sambhajnagar)</u>				
Analyzer Condition				
Is the room Air conditioned? Yes ☒ No ☐		Approximate Room Temp: <u>28°</u>		Location of Installation: <u>Lab</u>
Is the unit clean, free of dust/dirt/sample material? Yes ☒ No ☐		Tests/day: <u>10-15</u>	System Down: (Please circle) Yes ☒ No ☐	
Visual Inspection (Description of Visual Flaw, damages, missing items / parts / accessories)		<u>All accessories available</u>		
REASON FOR CALL / NATURE OF PROBLEM REPORTED				
<u>Background error / WBC Analysis error</u>				
Service Agreement Status: Warranty ☐ AMC ☐ CMC ☐ Reagent Rental ☐ Reagent Purchase ☐ Invoice (Ad-hoc) ☐				
Equipment Type: <u>Hematology cellcounter</u>		Reagents information: <u>Sysmex</u>		
Equipment Make: <u>Sysmex</u>		Model: <u>XP-300</u>	Serial No.: <u>C3969</u>	
SERVICE ACTION DETAILS				
<u>At that time checking WBC chamber assembly continuity not properly gone so checked & corrected connections properly so problem resolved also aperture cleaning, sensitivity adjustment machine working ok so machine is under observation</u>				
SPARE PARTS INFORMATION:				
Spare replacement Type: FOC ☐ Invoice ☐ Warranty ☐				
Indent/Replaced	Part no./ Cat. No	Description	Serial No./ Lot No.	Qty
<u>NA</u>	<u>NA</u>	<u>NA</u>	<u>NA</u>	<u>NA</u>
<u>NA</u>	<u>NA</u>	<u>NA</u>	<u>NA</u>	<u>NA</u>
<u>NA</u>	<u>NA</u>	<u>NA</u>	<u>NA</u>	<u>NA</u>
<u>NA</u>	<u>NA</u>	<u>NA</u>	<u>NA</u>	<u>NA</u>
Status after Service: (Please circle/tick mark)				
Complete ☐	Working satisfactorily ☒	Under Observation ☒	Follow-up required ☐	
Incomplete ☐	Pending for spares ☐	Working solution provided ☐	Analyzer Down ☐	
Call Intimation Details (Please circle/tick mark)				
Call Reported by: (Please circle)	Client ☐ Sales ☐ FSE ☐ Application ☐ Marketing ☐ HO ☐ Proactive/courtesy ☐ Follow-up ☐	Name: _____ Phone: _____ email: _____		
Event	Date	Time	Event	Date
Call received			Start Service	<u>01/08/2024</u>
Call Assigned			End Service	<u>02/08/2024</u>
Travel Time (Hours)	<u>01/08/2024</u>	<u>2 hrs</u>	Hand over time	<u>02/08/2024</u>
				<u>10:30 AM</u>
CUSTOMER FEEDBACK (Please Circle/Tick Mark)				
CSAT: (Please tick mark)	Annoyed ☐	Dissatisfied ☐	Can Improve ☐	Satisfied ☒ Extremely Satisfied ☐
Client Remarks	<u>Machine working is ok under observation.</u>			
Signatory's Name (Client):	Designation:	Phone	Email:	
<u>patil m.y.</u>	<u>Lab-Tech</u>	<u>797233154</u>		
Signatures				
Client		Technical Specialist		
<u>[Signature]</u>		<u>[Signature]</u>		

Customer Confidential

H.O.D. & Professor

 TRIMED SOLUTIONS (INDIA) PVT.LTD.
 2nd Floor, Jyoti Elegance, Kaveri Hills, Phase III, Madhapur, Hyderabad, Telangana- 500081
 Kanchanwadi, Chhatrapati Sambhajnagar
 Trimedsolutions.in


[Signature]
 Principal
 Chhatrapati Shahu Maharaj Sanstha's
 Ayurved Mahavidyalaya & Hospital,
 Kanchanwadi, Chhatrapati Sambhajnagar.

202442825 (2)

Service Report

4341

Customer Name: CSM35 Ayurvedic Mahavidyalaya & Hospital	
Address: Kanchanwadi, Aurangabad (Chhatrapati Sambhajinagar)	
Analyzer Condition	
Is the room Air conditioned? ☒ Yes ☐ No	Approximate Room Temp: 28°
Is the unit clean, free of dust/dirt/sample material? ☒ Yes ☐ No	Tests/day: 10-15
Visual Inspection (Description of Visual Flaw, damages, missing items (parts / accessories))	Location of Installation: Lab System Down: (Please circle) ☒ Yes ☐ No
All accessories available	

REASON FOR CALL / NATURE OF PROBLEM REPORTED

Background error / WBC sampling error

Service Agreement Status: ☒ Warranty ☐ AMC ☐ CMC ☐ Reagent Rental	Reagent Purchase	Invoice (Ad-hoc)
Equipment Type: Hematology cell counter	Reagents information: Sysmex	
Equipment Make: Sysmex	Model: XG-320	Serial No.: C3969

SERVICE ACTION DETAILS

At that time Background error found so clearing WBC chamber assy, RBC chamber assy. also sensitivity adjustment machine working ok so machine is under observations.

SPARE PARTS INFORMATION:

Spare replacement Type: ☒ FOC ☐ Invoice ☐ Warranty	
Indent/Replaced	Part no./ Cat. No. Description Serial No./ Lot No. Qty
NA	NA
NA	NA
NA	NA
NA	NA

Status after Service: (Please circle/tick mark)

Complete ☒	Working satisfactorily ☒	Under Observation ☐	Follow-up required ☐
Incomplete ☐	Pending for spares ☐	Working solution provided ☐	Analyzer Down ☐

Call Intimation Details (Please circle/tick mark)

Call Reported by: (Please circle)	Client Name: Client	Sales ☐	FSE ☐	Application ☐	Marketing ☐	HO ☐	Proactive/courtesy ☐	Follow-up ☐
Event	Date	Time	Event	Date	Time			
Call received			Start Service	27/07/2024	11:00 AM			
Call Assigned			End Service	28/07/2024	3:00 PM			
Travel Time (Hours)	28/07/2024	4 hrs	Hand over time	29/07/2024	2:30 PM			

CUSTOMER FEEDBACK (Please Circle/Tick Mark)

CSAT: (Please tick mark)	Annoyed ☐	Dissatisfied ☐	Can improve ☐	Satisfied ☒	Extremely Satisfied ☐
--------------------------	----------------------------------	---------------------------------------	--------------------------------------	---	--

Client Remarks: **machine is under observation.**

Signatory's Name (Client): potel M.Y.	Designation: Lab Tech	Phone: 797521504	Email:
--	------------------------------	-------------------------	--------

Signatures

Client [Signature]	Technical Specialist [Signature]
H.O.D. & Professor	[Signature]

Customer Confidential: **Dr. Vikram Vigyan**
Chhatrapati Shahu Maharaj Shikshan Sanstha's

Ayurved Mahavidyalaya **TRIMED SOLUTIONS (INDIA) PVT.LTD.**

2nd Floor, Jyothi Elegance, Ravuri Hills Phase III, Madhapur, Hyderabad, Telangana- 500081
www://trimedsolutions.in



Principal
Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Hospital,
Kanchanwadi, Chhatrapati Sambhajinagar.

Service Report

4339

Customer Name: CSMR Ayurvedic Mahavidyalaya & Hospital,					
Address: Kanchanwadi, Aurangabad (Chhatrapati Sambhajinagar)					
Analyzer Condition					
Is the room Air conditioned? ☐ Yes ☒ No		Approximate Room Temp: 28°C		Location of Installation: Lab	
Is the unit clean, free of dust/dirt/sample material? ☐ Yes ☒ No		Tests/day: 10-15		System Down: (Please circle) ☒ Yes ☐ No	
Visual Inspection (Description of Visual Flaw, damages, missing items / parts / accessories)		All accessories available			
REASON FOR CALL / NATURE OF PROBLEM REPORTED					
Background error					
Service Agreement Status: ☒ Warranty ☐ AMC ☐ CMC ☐ Reagent Rental ☐ Reagent Purchase ☐ Invoice (Ad-hoc)					
Equipment Type: Hematology Counter		Reagents Information: SYSMEX			
Equipment Make: SYSMEX		Model: XP-300		Serial No.: C3969	
SERVICE ACTION DETAILS					
At that time Background error found so interchanging older machine waveform processing board to New machine so machine working ok so machine is under observations.					
SPARE PARTS INFORMATION:					
Spare replacement Type: ☒ FOC ☐ Invoice ☐ Warranty					
Indent/Replaced	Part no. / Cat. No	Description	Serial No. / Lot No.	Qty	
Replaced	-	waveform processing Board		1	
Status after Service: (Please circle/tick mark)					
☒ Complete	☒ Working satisfactorily	☒ Under Observation	☐ Follow-up required		
☐ Incomplete	☐ Pending for spares	☐ Working solution provided	☐ Analyzer Down		
Call Intimation Details (Please circle/tick mark)					
Call Reported by: (Please circle)	Client Name:	Sales	FSE	Application	Marketing
Event	Date	Time	Event	Date	Time
Call received			Start Service	26/07/2024	12:00 PM
Call Assigned			End Service	26/07/2024	6:00 PM
Travel Time (Hours)	26/07/2024	5 hrs	Hand over time	26/07/2024	3:00 PM
CUSTOMER FEEDBACK (Please Circle/Tick Mark)					
CSAT: (Please tick mark)	☒ Annoyed ☐ Dissatisfied ☐ Can Improve ☐ Satisfied ☐ Extremely Satisfied				
Client Remarks	Machine is under observation.				
Signatory's Name (Client):	Designation:	Phone	Email:		
Dr. Ravi Kumar	Chief - Pathology	984970381504			
Signatures					
Client			Technical Specialist		
[Signature]			[Signature]		

Customer Confidential

TRIMED SOLUTIONS (INDIA) PVT.LTD.
2nd Floor, Joythi Elegance, Phase III, Madhapur, Hyderabad, Telangana- 500081
Ayurved Mahavidyalaya & Hospital, Kanchanwadi, Chhatrapati Sambhajinagar
Trimedsolutions.in



Principal
Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Hospital,
Kanchanwadi, Chhatrapati Sambhajinagar,

Service Report
4334

20244204

Customer Name: CSMSS AYURVEDIC MAHAVIDYALAYA & HOSPITAL, KANCHANWADI			
Address: Alurangabad (Chhatrapati Sambhajnagar)			
Analyzer Condition			
Is the room Air conditioned? ☒ Yes ☐ No	Approximate Room Temp: 28°C	Location of Installation: Lab 1 / 24005	
Is the unit clean, free of dust/dirt/sample material? ☒ Yes ☐ No	Tests/day: 10-15	System Down: (Please circle) ☒ Yes ☐ No	
Visual Inspection (Description of Visual Flow, damages, missing items / parts / accessories): All accessories available			

REASON FOR CALL / NATURE OF PROBLEM REPORTED
Background error / WBC, RBC, PLT error

Service Agreement Status: ☒ Warranty ☐ AMC ☐ CMC ☐ Reagent Rental ☐ Reagent Purchase ☐ Invoice (Ad-hoc)	Reagents information: Sysmex
Equipment Type: Hematology Cellcounter	Model XP-300 Serial No.: C3969

SERVICE ACTION DETAILS

At that time machine checked Background Error founded so checked earthing firstly earthing ok also cleaning RBC WBC chamber so machine working ok so machine is under

SPARE PARTS INFORMATION:
Observations

Spare replacement Type: ☒ FOC ☐ Invoice ☐ Warranty	
Indent/Replaced	Part no./ Cat. No
	Description
	Serial No./ Lot No.
	Qty
NA	NA
NA	NA
NA	NA
NA	NA

Status after Service: (Please circle/tick mark)

☒ Complete	☒ Working satisfactorily	☒ Under Observation	☐ Follow-up required
☐ Incomplete	☐ Pending for spares	☐ Working solution provided	☐ Analyzer Down

Call Intimation Details (Please circle/tick mark)

Call Reported by: (Please circle)	Client ☒ Sales ☐ FSE ☐ Application ☐ Marketing ☐ HO ☐ Proactive/courtesy ☐ Follow-up
Event	Name: _____ Phone: _____ email: _____
Call received	Date: _____ Time: _____
Call Assigned	Date: _____ Time: _____
Travel Time (Hours):	Date: _____ Time: _____
	Date: _____ Time: _____
	Date: _____ Time: _____
	Date: _____ Time: _____

CUSTOMER FEEDBACK (Please Circle/Tick Mark)

CSAT: (Please tick mark)	☐ Annoyed ☐ Dissatisfied ☐ Can Improve ☒ Satisfied ☐ Extremely Satisfied
--------------------------	---

Client Remarks

Signatory's Name (Client): patel m. for	Designation: Lab-Tech	Phone: 7972381504	Email:
Signatures			
Client		Technical Specialist	

H.O.D. & Professor
Dr. P. S. Vignani
Customer Representative
Chhatrapati Shahu Maharaj Shikshan Sansha's
Ayurved Mahavidyalaya & Hospital
Kanchanwadi, Chhatrapati Sambhajnagar
TRIMES SOLUTIONS (INDIA) PVT.LTD.
 2nd Floor, Jyothi Elegance, Kavuri Hills Phase III, Madhapur, Hyderabad, Telangana- 500081
 www://trimedsolutions.in


Principal
Chhatrapati Shahu Maharaj Shikshan Sansha's
Ayurved Mahavidyalaya & Hospital
Kanchanwadi, Chhatrapati Sambhajnagar

20244119

Service Report

4330

Customer Name: CSMS Ayurvedic Mahavidyalaya & Hospital, Kanchanwadi	
Address: Aurangabad (Chhatrapati Sambhajinagar)	
Analyzer Condition	
Is the room Air conditioned? ☒ Yes ☐ No	Approximate Room Temp: 27°
Is the unit clean, free of dust/dirt/sample material? ☒ Yes ☐ No	Location of Installation: Lab
Visual Inspection (Description of Visual Flaw, damages, missing items /parts / accessories)	Tests/day: 10-15 System Down: (Please circle) ☒ Yes ☐ No
All accessories available	
REASON FOR CALL / NATURE OF PROBLEM REPORTED	
: WBC error	
Service Agreement Status: ☒ Warranty ☐ AMC ☐ CMC ☐ Reagent Rental ☐ Reagent Purchase ☐ Invoice (Ad-hoc)	
Equipment Type: Hematology Cellcounter	Reagents information: SYSMEX
Equipment Make: SYSMEX	Model XP-300 Serial No.: C3969
SERVICE ACTION DETAILS	
At that time machine checked WBC error founded so cleaning WBC chamber assembly also checked earthing valves, Sensitivity adjustment machine working ok so machine is	
SPARE PARTS INFORMATION: Under observations	
Spare replacement Type: ☒ FOC ☐ Invoice ☐ Warranty	
Indent/Replaced	Part no./ Cat. No
	Description
	Serial No./ Lot No.
	Qty
NA	NA
NA	NA
NA	NA
NA	NA
Status after Service: (Please circle/tick mark)	
Complete ☒	Working satisfactorily ☒
Incomplete ☐	Pending for spares ☐
	Under Observation ☐
	Working solution provided ☐
	Follow-up required ☐
	Analyzer Down ☐
Call Intimation Details (Please circle/tick mark)	
Call Reported by: (Please circle)	Client Sales FSE Application Marketing HO Proactive/courtesy Follow-up
Name:	Phone:
Date:	Time:
Event	Event
Call received	Start Service
Call Assigned	End Service
Travel Time (Hours)	Hand over time
12/07/2024	4 hrs
12/07/2024	10:30 AM
12/07/2024	1:30 PM
12/07/2024	12:30 PM
CUSTOMER FEEDBACK (Please Circle/Tick Mark)	
CSAT: (Please tick mark)	☐ Annoyed ☐ Dissatisfied ☐ Can improve ☒ Satisfied ☐ Extremely Satisfied
Client Remarks	Machine is under observation.
Signatory's Name (Client):	Designation:
Patel M. K.	Lab Tech
Phone:	Email:
7972381504	
Signatures	
Client	Technical Specialist
H.O.D. & Professor	Brand S.I.
Dept. of Roginidan Evam Vikruti Vigyan	
Chhatrapati Shahu Maharaj Shikshan Sanstha's	
Customer Confidentiality & Rugnolaya,	
Kanchanwadi, Chhatrapati Sambhajinagar	

TRIMED SOLUTIONS (INDIA) PVT.LTD.

 2nd Floor, Jyothi Elegance, Kavuri Hills Phase III, Madhapur, Hyderabad, Telangana- 500081
 www://trimedsolutions.in


Principal
 Chhatrapati Shahu Maharaj Shikshan Sanstha's
 Ayurved Mahavidyalaya & Rugnolaya,
 Kanchanwadi, Chhatrapati Sambhajinagar.



LABMENTOR BIOMEDICALS PVT. LTD.

"Complete Solutions for Pathology Lab"

CIN : U85199MH2021PTC362839 • GST NO. : 27AAECL6568K12X

Office No. 8 & 9, Ground Floor, Radha Hari Nivas CHS, Tilak Road, Panvel - 410206

Email : labmentorindia@gmail.com • Web : www.labmentorindia.com

Mob. : 9321485436 / 9820335193 / 9769445432

Sysmex Toll Free No. : 1800 102 4351

Contact Email : customercare@sysmex.co.in

Customer Confidential

20246968

SERVICE REPORT

Customer Name : CSMSS Ayurvedic Mahavidyalaya & Hospital, Kanchanwadi

Address : Chhatrapati Sambhaji Nagar (Aurangabad)

Analyzer Condition

Is the room Air conditioning? ☒ Yes ☐ No Approximate Room Temp: 24°C Location of installation: Lab
Is the unit clean, free of dust/dirt/sample material? ☒ Yes ☐ No Tests/day: 10-12 System Down: (Please circle) ☒ Yes ☐ No
Visual inspection
(Description of Visual Flaw, damages, missing items/parts/ accessories) All accessories available

REASON FOR CALL/NATURE OF PROBLEM REPORTED

WBC clog error

Service Agreement Status: Warranty AMC CMC Reagent rental Reagent purchase Invoice (Ad-hoc)
Equipment Type: Hematology Cellcounter Reagents information: Sysmex
Equipment Make: Sysmex Model XP-300 Serial No.: 13965

SERVICE ACTION DETAILS

At that time machine checked WBC clog error founded
So cleaning WBC chamber assembly, clog arrangement cleaning
tubing machine working ok so machine is under observations.

SPARE PARTS INFORMATION:

Spare replacement Type: FOC Invoice Warranty
Indent/Replaced Part no./Cat. No Description Serial No./Lot No Qty
N/A N/A N/A N/A N/A

Status after Service: (Please circle/tick mark)

Complete Working satisfactorily ☒ Under Observation ☐ Follow-up required ☐
Incomplete Pending for spares ☐ Working solution provided ☐ Analyzer Down ☐

Call Intimation Details (Please circle/tick mark)

Call Reported by: (Please circle) Client Sales FSE Application Marketing HO Proactive/courtesy Follow-up
Name: Phone: email:
Event Date Time Event Date Time
Call received 08/03/2025 10:22 Start Service 02/04/2025 10:30 AM
Call Assigned 09/03/2025 10:40 End Service 02/04/2025 2:30 PM
Travel Time (Hours) 02/04/2025 4 hrs Hand over time 02/04/2025 1:30 PM

CUSTOMER FEEDBACK (Please Circle/Tick Mark)

CSAT: (Please tick mark) Annoyed Dissatisfied Can Improve Satisfied ☒ Extremely Satisfied

Client Remarks

Signatory's Name (Client) Designation: Phone: Email:

Dr. Avinash Deshmukh

Signatures

Client

Technical Specialist

H.O.D. & Professor
Dept. of Rognidan Evam Vignani Vigyan
Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rughnaya,
Kanchanwadi, Chhatrapati Sambhaji Nagar

Prasad S.V.



Principal
Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rughnaya,
Kanchanwadi, Chhatrapati Sambhaji Nagar



LABMENTOR BIOMEDICALS PVT. LTD.

"Complete Solutions for Pathology Lab"

CIN : U85190MH2021PTC362839 GST NO : 27AAECL6588K1ZK

Office No. 8 & 9, Ground Floor, Radha Hari Nivas CHS, Tilak Road, Panvel - 410206

Email : labmentorindia@gmail.com • Web : www.labmentorindia.com

Mob. : 9321485436 / 9820335193 / 9769445432

Sysmex Toll Free No. : 1800 102 4351

Contact Email : customercare@sysmex.co.in

Customer Confidential

SERVICE REPORT

Customer Name : CSMS Ayurvedic Mahavidyalaya & Hospital, Kanchanwadi	
Address : Chhatrapati Sambhajinagar (Aurangabad)	
Analyzer Condition	
Is the room Air conditioning? ☒ Yes ☐ No	Approximate Room Temp: 24°C
Is the unit clean, free of dust/dirt/sample material? ☒ Yes ☐ No	Tests/day: 10-15
Visual inspection (Description of Visual Flow, damages, missing items/parts/ accessories)	Location of installation: Lab
System Down: (Please circle) Yes ☐ No ☒	
All accessories available	
REASON FOR CALL/NATURE OF PROBLEM REPORTED	
Preventive Maintenance	
Service Agreement Status: ☒ Warranty ☐ AMC ☐ CMC	Reagent rental ☐ Reagent purchase ☐ Invoice (Ad-hoc)
Equipment Type: Hematology Cell Counter	Reagents information: Sysmex
Equipment Make: Sysmex	Model XP-300
	Serial No.: C3969
SERVICE ACTION DETAILS	
Preventive Maintenance done as per procedure & analysed machine working ok.	
SPARE PARTS INFORMATION:	
Spare replacement Type: FOC	Invoice
Warranty	
Indent/Replaced	Part no./Cat. No
Description	Serial No./Lot No.
Qty	
NA	NA
NA	NA
NA	NA
NA	NA
Status after Service: (Please circle/tick mark)	
Complete ☒	Working satisfactorily ☒
Under Observation ☐	Follow-up required ☐
Incomplete ☐	Pending for spares ☐
Working solution provided ☐	Analyzer Down ☐
Call Intimation Details (Please circle/tick mark)	
Call Reported by: (Please circle)	Client Sales FSE Application Marketing HO Proactive/courtesy Follow-up
Name:	Phone:
email:	
Event	Date
Time	Event
Date	Time
Call received	Start Service
29/01/2025	9:00 AM
Call Assigned	End Service
29/01/2025	1:30 PM
Travel Time (Hours)	Hand over time
29/01/2025	3 hrs
29/01/2025	12:30 PM
CUSTOMER FEEDBACK (Please Circle/Tick Mark)	
CSAT: (Please tick mark)	Annoyed ☐
Dissatisfied ☐	Can improve ☐
Satisfied ☒	Extremely Satisfied ☐
Client Remarks	Machine under procedure 8 Days.
Signatory's Name (Client)	Designation:
patel m.y.	Phone
Email:	
Signatures	
Client	H.O.D. & Professor
Technical Specialist	
for	Brand Sr.



Principal
Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Hospital,
Kanchanwadi, Chhatrapati Sambhajinagar

Maintenance of Sysmax Autoanalyser







Weekly maintenance

Date	Item	Signature
06/01/2025	Check trap chamber level and drain	Raj
13/01/2025	Check trap chamber level and drain	Raj
20/01/2025	Check trap chamber level and drain	Raj
27/01/2025	Check trap chamber level and drain	Raj
03/02/2025	Check trap chamber level and drain	Raj
10/02/2025	Check trap chamber level and drain	Raj
17/02/2025	Check trap chamber level and drain	Raj
24/02/2025	Check trap chamber level and drain	Raj
03/03/2025	Check trap chamber level and drain	Raj
10/03/2025	Check trap chamber level and drain	Raj
17/03/2025	Check trap chamber level and drain	Raj
24/03/2025	Check trap chamber level and drain	Raj
07/04/2025	Check trap chamber level and drain	Raj
14/04/2025	Check trap chamber level and drain	Raj
21/04/2025	Check trap chamber level and drain	Raj
28/04/2025	Check trap chamber level and drain	Raj
05/05/2025	Check trap chamber level and drain	Raj
12/05/2025	Check trap chamber level and drain	Raj
19/05/2025	Check trap chamber level and drain	Raj
26/05/2025	Check trap chamber level and drain	Raj
02/06/2025	Check trap chamber level and drain	Raj
09/06/2025	Check trap chamber level and drain	Raj
16/06/2025	Check trap chamber level and drain	Raj
23/06/2025	Check trap chamber level and drain	Raj
07/07/2025	Check trap chamber level and drain	Raj
14/07/2025	Check trap chamber level and drain	Raj
21/07/2025	Check trap chamber level and drain	Raj
28/07/2025	Check trap chamber level and drain	Raj
04/08/2025	Check trap chamber level and drain	Raj
11/08/2025	Check trap chamber level and drain	Raj
18/08/2025	Check trap chamber level and drain	Raj
25/08/2025	Check trap chamber level and drain	Raj
01/09/2025	Check trap chamber level and drain	Raj



Principal
Chhatrapati Shahu Maharaj Shiksha Sanstha's
Ayurved Mahavidyalaya & Ragnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.

Monthly Maintenance

Date	Maintenance item	Signature
06/01/2025	Clean waste chamber (Rinse sequence)	
	Clean transducer (Rinse sequence)	
	Clean sampling wavelength	
03/02/2025	Clean waste chamber (Rinse sequence)	
	Clean transducer (Rinse sequence)	
	Clean sampling wavelength	
03/03/2025	Clean waste chamber (Rinse sequence)	
	Clean transducer (Rinse sequence)	
	Clean sampling wavelength	
07/04/2025	Clean waste chamber (Rinse sequence)	
	Clean transducer (Rinse sequence)	
	Clean sampling wavelength	
05/05/2025	Clean waste chamber (Rinse sequence)	
	Clean transducer (Rinse sequence)	
	Clean sampling wavelength	
02/06/2025	Clean waste chamber (Rinse sequence)	
	Clean transducer (Rinse sequence)	
	Clean sampling wavelength	
04/07/2025	Clean waste chamber (Rinse sequence)	
	Clean transducer (Rinse sequence)	
	Clean sampling wavelength	
04/08/2025	Clean waste chamber (Rinse sequence)	
	Clean transducer (Rinse sequence)	
	Clean sampling wavelength	
02/09/2025	Clean waste chamber (Rinse sequence)	
	Clean transducer (Rinse sequence)	
	Clean sampling wavelength	
06/10/2025	Clean waste chamber (Rinse sequence)	
	Clean transducer (Rinse sequence)	
	Clean sampling wavelength	
03/11/2025	Clean waste chamber (Rinse sequence)	
	Clean transducer (Rinse sequence)	
	Clean sampling wavelength	
01/12/2025	Clean waste chamber (Rinse sequence)	
	Clean transducer (Rinse sequence)	
	Clean sampling wavelength	




Principal
Chhatrapati Shahu Maharaj Shiksha Sanstha's
Ayurved Mahavidyalaya & Rugmalaya,
Kanchanwadi, Chhatrapati Sambhaji Nagar

6 Monthly maintenance

Date	Maintenance item	Signature
05/01/2025	Clean sample rotor valve (SRV)	
	Clean WBC/RBC transducer aperture	
	Clean rinse cup	
07/07/2025	Clean sample rotor valve (SRV)	
	Clean WBC/RBC transducer aperture	
	Clean rinse cup	
	Clean sample rotor valve (SRV)	
	Clean WBC/RBC transducer aperture	
	Clean rinse cup	

A.M.C. maintenance (3 month)

Date	Item	Details	Signature
05/01/25	Technical Inspection	Carried out Preventive Maintenance as per protocol run Sample Result found ok	
07/04/2025	Technical Inspection	Carried out Preventive Maintenance as per protocol run Sample Result found ok	
07/07/2025	Technical Inspection	Carried out Preventive Maintenance as per protocol run Sample Result found ok	
06/10/2025	Technical Inspection	Carried out Preventive Maintenance as per protocol run Sample Result found ok	




Principal
Chhatrapati Shahu Maharaj Shiksha Sanstha's
Ayurved Mahavidyalaya & Ragne'ika,
Kanchanwadi, Chhatrapati Sambhaji Nagar.

Maintenance of Erba Chem-7

Weekly maintenance

Date	item	Done by
06/01/2025	Flushing of flow cell with methanol/detergent & then by water	Parky
13/01/2025	Flushing of flow cell with methanol/detergent & then by water	Parky
20/01/2025	Flushing of flow cell with methanol/detergent & then by water	Parky
27/01/2025	Flushing of flow cell with methanol/detergent & then by water	Parky
03/02/2025	Flushing of flow cell with methanol/detergent & then by water	Parky
10/02/2025	Flushing of flow cell with methanol/detergent & then by water	Parky
17/02/2025	Flushing of flow cell with methanol/detergent & then by water	Parky
24/02/2025	Flushing of flow cell with methanol/detergent & then by water	Parky
03/03/2025	Flushing of flow cell with methanol/detergent & then by water	Parky
10/03/2025	Flushing of flow cell with methanol/detergent & then by water	Parky
17/03/2025	Flushing of flow cell with methanol/detergent & then by water	Parky
24/03/2025	Flushing of flow cell with methanol/detergent & then by water	Parky
07/04/2025	Flushing of flow cell with methanol/detergent & then by water	Parky
14/04/2025	Flushing of flow cell with methanol/detergent & then by water	Parky
21/04/2025	Flushing of flow cell with methanol/detergent & then by water	Parky
28/04/2025	Flushing of flow cell with methanol/detergent & then by water	Parky
05/05/2025	Flushing of flow cell with methanol/detergent & then by water	Parky
12/05/2025	Flushing of flow cell with methanol/detergent & then by water	Parky
19/05/2025	Flushing of flow cell with methanol/detergent & then by water	Parky
26/05/2025	Flushing of flow cell with methanol/detergent & then by water	Parky
02/06/2025	Flushing of flow cell with methanol/detergent & then by water	Parky
09/06/2025	Flushing of flow cell with methanol/detergent & then by water	Parky
16/06/2025	Flushing of flow cell with methanol/detergent & then by water	Parky
23/06/2025	Flushing of flow cell with methanol/detergent & then by water	Parky
07/07/2025	Flushing of flow cell with methanol/detergent & then by water	Parky




 Principal
 Chhatrapati Shahu Maharaj Sanshodhan Sanstha's
 Ayurved Mahavidyalaya & Rughnath,
 Kanchanwadi, Chhatrapati Sambhajanagar.

A.M.C. Maintenance (6 month)

Date	Item	Details	Done by
05/11/25	Technical Inspection	Carried out Preventive maintenance as per protocol ,run sample result found OK	
07/07/2025	Technical Inspection	Carried out Preventive maintenance as per protocol ,run sample result found OK	
	Technical Inspection	Carried out Preventive maintenance as per protocol ,run sample result found OK	





Principal
Chhatrapati Shahu Maharaj Shiksha Sanstha's
Ayurved Mahavidyalaya & Ragnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar

Microscope Maintenance

Monthly Maintenance

Date	item	Done by
06/01/2025	Wipe lenses with lens paper	Ruby
03/02/2025	Wipe lenses with lens paper	Ruby
03/03/2025	Wipe lenses with lens paper	Ruby
07/04/2025	Wipe lenses with lens paper	Ruby
05/05/2025	Wipe lenses with lens paper	Ruby
02/06/2025	Wipe lenses with lens paper	Ruby
07/07/2025	Wipe lenses with lens paper	Ruby
04/08/2025	Wipe lenses with lens paper	Ruby
01/09/2025	Wipe lenses with lens paper	Ruby
06/10/2025	Wipe lenses with lens paper	Ruby
03/11/2025	Wipe lenses with lens paper	Ruby
07/12/2025	Wipe lenses with lens paper	Ruby

Three Monthly Maintenance

Date	item	Done by
05/01/2025	Check alignment of condenser	Ruby
07/04/2025	Check alignment of condenser	Ruby
07/07/2025	Check alignment of condenser	Ruby
06/10/2025	Check alignment of condenser	Ruby

A.M.C., maintenance

Date	item	Details	Done by
05/01/2025	Technical Inspection	Remark ok	Ruby
07/07/2025	Technical Inspection	Remark ok.	Ruby



Principal
Chhatrapati Shahu Maharaj Shiksha Sanstha's
Ayurved Mahavidyalaya & Hospital,
Kanchanwadi

Incubator maintenance

Three Monthly Maintenance

Date	Item	Done by
06/01/2025	Cleaning of inside	Ruby
03/04/2025	Cleaning of inside	Ruby
07/07/2025	Cleaning of inside	Ruby
06/10/2025	Cleaning of inside	Ruby

Six monthly Maintenance

Date	Item	Details	Done by
06/01/2025	Technical Maintenance	Temperature Maintenance Servicing Done	Ruby
07/07/2025	Technical Maintenance	Temperature Maintenance Servicing Done	Ruby

Hot air oven maintenance

Three Monthly Maintenance

Date	Item	Done by
06/01/2025	Cleaning of inside	Ruby
03/04/2025	Cleaning of inside	Ruby
07/07/2025	Cleaning of inside	Ruby
06/10/2025	Cleaning of inside	Ruby

Six monthly Maintenance







Date	Item	Details	Done by
06/01/2025	Technical Maintenance	Temperature Maintenance	Ruby
07/07/2025	Technical Maintenance	Temperature Maintenance	Ruby




Principal
Chhatrapati Shahu Maharaj Shiksha Sanstha's
Ayurved Mahavidyalaya & Ragnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.

Refrigerator Maintenance

Two monthly Maintenance

Date	item	Done by
03/09/2025	Clean & defrost	
06/03/2025	Clean & defrost	
05/05/2025	Clean & defrost	
07/07/2025	Clean & defrost	
01/09/2025	Clean & defrost	
03/11/2025	Clean & defrost	

A.M.C. maintenance

Date	item	Details	Done by
06/01/2025	Technical Inspection	Temperature Checked	
07/07/2025	Technical Inspection	Temperature Checked	
	Technical Inspection	Temperature Checked	?











Principal


Chhatrapati Shahu Maharaj Shiksha Sanstha's
Ayurved Mahavidyalaya & Ragnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.

Centrifuge Maintenance

Monthly Maintenance

Date	item	Done by
06/01/2025	Wipe inner walls with antiseptic	
03/02/2025	Wipe inner walls with antiseptic	
03/03/2025	Wipe inner walls with antiseptic	
07/04/2025	Wipe inner walls with antiseptic	
05/05/2025	Wipe inner walls with antiseptic	
02/06/2025	Wipe inner walls with antiseptic	
07/07/2025	Wipe inner walls with antiseptic	
04/08/2025	Wipe inner walls with antiseptic	
01/09/2025	Wipe inner walls with antiseptic	
06/10/2025	Wipe inner walls with antiseptic	
03/11/2025	Wipe inner walls with antiseptic	
01/12/2025	Wipe inner walls with antiseptic	

A.M.C. maintenance

Date	item	Details	Done by
06/01/2025	Technical Inspection	R.P.M. Maintenance & Servicing	
07/07/2025	Technical Inspection	R.P.M. Maintenance & Servicing	
	Technical Inspection	R.P.M. Maintenance & Servicing	?




 Principal
 Chhatrapati Shahu Maharaj Shiksha Sanstha's
 Ayurved Mahavidyalaya & Ragnalaya,
 Kanchanwadi, Chhatrapati Sambhajinagar.

Electrical Maintenance of electrical instruments

1 Yearly Maintenance (2025)

Date	Name	Item	Remarks	Sign
30/01/25	Sysmax Haemoautoanalyser XP-300	Voltage Amphere Earthing	- 230V - 1 amp - OK	<i>[Signature]</i>
30/01/25	Biochemistry analyser ErbaChem7	Voltage Amphere Earthing	- 230V - 1 amp - OK	<i>[Signature]</i>
30/01/25	Incubator	Voltage Amphere Earthing	- 230V - 1.5 amp - OK	<i>[Signature]</i>
30/01/25	Centrifuge machine	Voltage Amphere Earthing	- 230V - 0.25 amp - OK	<i>[Signature]</i>
30/01/25	Electrical Microscope	Voltage Earthing	- 230V - OK	<i>[Signature]</i>
30/01/25	Needle Burner	Voltage Amphere Earthing	- 230V - 0.25 amp - OK	<i>[Signature]</i>
30/01/25	Invertor	Voltage Earthing	- 230V - OK	<i>[Signature]</i>
30/01/25	Refrigerator	Voltage Earthing	- 230V - OK	<i>[Signature]</i>
30/01/25	Computer	Voltage Earthing	- 230V - OK	<i>[Signature]</i>



[Signature]
Principal
Chhatrapati Shahu Maharaj Shiksha Samithi's
Ayurved Mahavidyalaya & Ragnatya,
Kanchanwadi, Chhatrapati Sambhajinagar.

② 15

Weekly maintenance

[illegible]


Principal
Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Ragnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.

Maintenance of Sysmax Autoanalyser XP-300

Weekly maintenance

Date	Item	Signature
01/01/2024	Check trap chamber level and drain	[Signature]
08/01/2024	Check trap chamber level and drain	[Signature]
15/01/2024	Check trap chamber level and drain	[Signature]
23/01/2024	Check trap chamber level and drain	[Signature]
29/01/2024	Check trap chamber level and drain	[Signature]
5/2/24	Check trap chamber level and drain	[Signature]
12/2/24	Check trap chamber level and drain	[Signature]
19/2/24	Check trap chamber level and drain	[Signature]
26/2/24	Check trap chamber level and drain	[Signature]
11/03/2024	Check trap chamber level and drain	[Signature]
18/03/2024	Check trap chamber level and drain	[Signature]
26/03/2024	Check trap chamber level and drain	[Signature]
01/04/2024	Check trap chamber level and drain	[Signature]
08/04/2024	Check trap chamber level and drain	[Signature]
15/04/2024	Check trap chamber level and drain	[Signature]
22/04/2024	Check trap chamber level and drain	[Signature]
02/05/2024	Check trap chamber level and drain	[Signature]
13/05/2024	Check trap chamber level and drain	[Signature]
20/05/2024	Check trap chamber level and drain	[Signature]
27/05/2024	Check trap chamber level and drain	[Signature]
1/06/2024	Check trap chamber level and drain	[Signature]
10/06/2024	Check trap chamber level and drain	[Signature]
17/06/2024	Check trap chamber level and drain	[Signature]
25/06/2024	Check trap chamber level and drain	[Signature]
02/07/2024	Check trap chamber level and drain	[Signature]
09/07/2024	Check trap chamber level and drain	[Signature]
17/07/2024	Check trap chamber level and drain	[Signature]
24/07/2024	Check trap chamber level and drain	[Signature]
31/07/2024	Check trap chamber level and drain	[Signature]
06/08/2024	Check trap chamber level and drain	[Signature]
15/08/2024	Check trap chamber level and drain	[Signature]



[Signature]
Principal

Chhatrapati Shahu Maharaj Sanshodhan Sanstha's
Ayurved Mahavidyalaya & Rognalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.



[Signature]
Principal

Chhatrapati Shahu Maharaj Sanshodhan Sanstha's
Ayurved Mahavidyalaya & Rognalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.

Monthly Maintenance XP-300

5

17

Date	Maintenance item	Signature
08/01/2024	Clean waste chamber (Rinse sequence)	[Signature]
	Clean transducer (Rinse sequence)	
	Clean sampling wavelength	
5/2/24	Clean waste chamber (Rinse sequence)	[Signature]
	Clean transducer (Rinse sequence)	
	Clean sampling wavelength	
4/03/2024	Clean waste chamber (Rinse sequence)	[Signature]
	Clean transducer (Rinse sequence)	
	Clean sampling wavelength	
5/04/2024	Clean waste chamber (Rinse sequence)	[Signature]
	Clean transducer (Rinse sequence)	
	Clean sampling wavelength	
2/05/2024	Clean waste chamber (Rinse sequence)	[Signature]
	Clean transducer (Rinse sequence)	
	Clean sampling wavelength	
6/06/2024	Clean waste chamber (Rinse sequence)	[Signature]
	Clean transducer (Rinse sequence)	
	Clean sampling wavelength	
7/07/2024	Clean waste chamber (Rinse sequence)	[Signature]
	Clean transducer (Rinse sequence)	
	Clean sampling wavelength	
9/08/2024	Clean waste chamber (Rinse sequence)	[Signature]
	Clean transducer (Rinse sequence)	
	Clean sampling wavelength	
02/09/2024	Clean waste chamber (Rinse sequence)	[Signature]
	Clean transducer (Rinse sequence)	
	Clean sampling wavelength	
07/10/2024	Clean waste chamber (Rinse sequence)	[Signature]
	Clean transducer (Rinse sequence)	
	Clean sampling wavelength	
04/11/2024	Clean waste chamber (Rinse sequence)	[Signature]
	Clean transducer (Rinse sequence)	
	Clean sampling wavelength	
5/12/24	Clean waste chamber (Rinse sequence)	[Signature]
	Clean transducer (Rinse sequence)	
	Clean sampling wavelength	





Principal
Chhatrapati Shahu Maharaj Shiksha Sanstha's
Ayurved Mahavidyalaya & Ragnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.






Principal
Chhatrapati Shahu Maharaj Shiksha Sanstha's
Ayurved Mahavidyalaya & Ragnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.

6 Monthly maintenance XP-300

Date	Maintenance item	Signature
12/06/2024	Clean sample rotor valve (SRV)	
	Clean WBC/RBC transducer aperture	
	Clean rinse cup	
5/12/2024	Clean sample rotor valve (SRV)	
	Clean WBC/RBC transducer aperture	
	Clean rinse cup	

A.M.C. maintenance 3 Month

Date	Item	Details	Signature
14/03/2024	Technical inspection	Carried out Preventive Maintenance as per protocol run sample result found Ok	
13/06/2024	Technical inspection	Carried out Preventive Maintenance as per protocol run sample result found Ok	
09/09/2024	Technical inspection	Carried out Preventive Maintenance as per protocol run sample result found Ok	
5/12/2024	Technical inspection	Carried out Preventive Maintenance as per protocol run sample result found Ok	



Principal

Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rugnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.





Principal

Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rugnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.



Maintenance of Erba Chem-7

Weekly maintenance

Date	Item	Done by
01/01/2024	Flushing of flow cell with methanol/detergent & then by water	Bachy
08/01/2024	Flushing of flow cell with methanol/detergent & then by water	Bachy
15/01/2024	Flushing of flow cell with methanol/detergent & then by water	Bachy
23/01/2024	Flushing of flow cell with methanol/detergent & then by water	Bachy
29/01/2024	Flushing of flow cell with methanol/detergent & then by water	Bachy
5/2/24	Flushing of flow cell with methanol/detergent & then by water	Bachy
12/2/24	Flushing of flow cell with methanol/detergent & then by water	Bachy
19/2/24	Flushing of flow cell with methanol/detergent & then by water	Bachy
26/02/24	Flushing of flow cell with methanol/detergent & then by water	Bachy
1/3/24	Flushing of flow cell with methanol/detergent & then by water	Bachy
11/03/24	Flushing of flow cell with methanol/detergent & then by water	Bachy
18/03/24	Flushing of flow cell with methanol/detergent & then by water	Bachy
26/03/24	Flushing of flow cell with methanol/detergent & then by water	Bachy
03/04/2024	Flushing of flow cell with methanol/detergent & then by water	Bachy
08/04/2024	Flushing of flow cell with methanol/detergent & then by water	Bachy
15/04/2024	Flushing of flow cell with methanol/detergent & then by water	Bachy
22/04/2024	Flushing of flow cell with methanol/detergent & then by water	Bachy
02/05/2024	Flushing of flow cell with methanol/detergent & then by water	Bachy
13/05/2024	Flushing of flow cell with methanol/detergent & then by water	Bachy
20/05/2024	Flushing of flow cell with methanol/detergent & then by water	Bachy
27/05/2024	Flushing of flow cell with methanol/detergent & then by water	Bachy
03/06/2024	Flushing of flow cell with methanol/detergent & then by water	Bachy
10/06/2024	Flushing of flow cell with methanol/detergent & then by water	Bachy
18/06/2024	Flushing of flow cell with methanol/detergent & then by water	Bachy
26/06/2024	Flushing of flow cell with methanol/detergent & then by water	Bachy



[Signature]
Principal
Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rughnala,
Kanchanwadi, Chhatrapati Sambhajinagar.



[Signature]
Principal
Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rughnala,
Kanchanwadi, Chhatrapati Sambhajinagar.

Maintenance of Erba Chem-7


Weekly maintenance

Date	item	Done by
08/07/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
16/07/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
23/07/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
30/07/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
06/08/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
13/08/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
20/08/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
26/08/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
02/09/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
09/09/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
16/09/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
23/09/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
30/09/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
07/10/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
14/10/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
21/10/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
04/11/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
11/11/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
18/11/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
25/11/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
2/12/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
9/12/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
16/12/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
23/12/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
30/12/2024	Flushing of flow cell with methanol/detergent & then by water	Q. S. S.
	Flushing of flow cell with methanol/detergent & then by water	
	Flushing of flow cell with methanol/detergent & then by water	
	Flushing of flow cell with methanol/detergent & then by water	
	Flushing of flow cell with methanol/detergent & then by water	



Principal
Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Purnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.

A.M.C. Maintenance (6 Month.)

Date	item	Details	Done by
01/6/24	Technical Inspection	Carried out Preventive Maintenance as per protocol run sample result found Ok	
05/12/24	Technical Inspection	Carried out Preventive Maintenance as per protocol run sample result found Ok	
	Technical Inspection	Carried out Preventive Maintenance as per protocol run sample result found Ok	




Principal

Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Ragnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.

Microscope Maintenance

Monthly Maintenance

Date	item	Done by
08/01/2024	Wipe lenses with lens paper	Buly
5/2/2024	Wipe lenses with lens paper	Buly
02/03/2024	Wipe lenses with lens paper	Buly
05/04/2024	Wipe lenses with lens paper	Buly
03/05/2024	Wipe lenses with lens paper	Buly
09/06/2024	Wipe lenses with lens paper	Buly
03/07/2024	Wipe lenses with lens paper	Buly
08/08/2024	Wipe lenses with lens paper	Buly
02/09/2024	Wipe lenses with lens paper	Buly
07/10/2024	Wipe lenses with lens paper	Buly
04/11/2024	Wipe lenses with lens paper	Buly
11/12/2024	Wipe lenses with lens paper	Buly

Three Monthly Maintenance

Date	item	Done by
08/01/2024	Check alignment of condenser	Buly
04/04/2024	Check alignment of condenser	Buly
06/07/2024	Check alignment of condenser	Buly
04/10/2024	Check alignment of condenser	Buly

A.M.C., maintenance

Date	item	Details	Done by
12/06/2024	Technical Inspection	Remark OK	Buly
05/12/2024	Technical Inspection	Remark OK	Buly



Principal

Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rughalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.



Principal

Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rughalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.

11
22

Incubator maintenance

Three Monthly Maintenance

Date	Item	Done by
08/01/2024	Cleaning of inside	Buby
04/04/2024	Cleaning of inside	Buby
07/07/2024	Cleaning of inside	Buby
07/10/2024	Cleaning of inside	Buby

Six monthly Maintenance

Date	Item	Details	Done by
08/01/2024	Technical Maintenance	Temperature Maintenance Servicing Done	Buby
12/06/2024	Technical Maintenance	Temperature Maintenance Servicing Done	Buby

Hot air oven maintenance

Three Monthly Maintenance

Date	Item	Done by
08/01/2024	Cleaning of inside	Buby
04/04/2024	Cleaning of inside	Buby
07/07/2024	Cleaning of inside	Buby
07/10/2024	Cleaning of inside	Buby

Six monthly Maintenance

Date	Item	Details	Done by
08/01/2024	Technical Maintenance	Temperature Maintenance	Buby
12/06/2024	Technical Maintenance	Temperature Maintenance	Buby



[Signature]
Principal
Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rughnala,
Kanchanwadi, Chhatrapati Sambhajinagar.



[Signature]
Principal
Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rughnala,
Kanchanwadi, Chhatrapati Sambhajinagar.

Centrifuge Maintenance

Monthly Maintenance

Date	item	Done by
08/01/2024	Wipe inner walls with antiseptic	Baly
5/2/2024	Wipe inner walls with antiseptic	Baly
04/03/2024	Wipe inner walls with antiseptic	Baly
02/04/2024	Wipe inner walls with antiseptic	Baly
04/05/2024	Wipe inner walls with antiseptic	Baly
03/06/2024	Wipe inner walls with antiseptic	Baly
05/07/2024	Wipe inner walls with antiseptic	Baly
07/8/2024	Wipe inner walls with antiseptic	Baly
02/09/2024	Wipe inner walls with antiseptic	Baly
07/10/2024	Wipe inner walls with antiseptic	Baly
04/11/2024	Wipe inner walls with antiseptic	Baly
05/12/2024	Wipe inner walls with antiseptic	Baly

A.M.C. maintenance

Date	item	Details	Done by
8/01/24	Technical Inspection	R.P.M. Maintenance & Servicing	Baly
5/07/24	Technical Inspection	R.P.M. Maintenance & Servicing	Baly



[Signature]
Principal

Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Ragnalaya,
Kanchanwadi, Chhatrapati Sambhajnagar.



[Signature]
Principal

Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Ragnalaya,
Kanchanwadi, Chhatrapati Sambhajnagar.

13
25

Refrigerator Maintenance

Two monthly Maintenance

Date	item	Done by
1/1/2024	Clean & defrost	Ruby
2/03/2024	Clean & defrost	Ruby
1/06/2024	Clean & defrost	Ruby
5/08/2024	Clean & defrost	Ruby
07/10/2024	Clean & defrost	Ruby
05/12/2024	Clean & defrost	Ruby

A.M.C. maintenance

Date	item	Details	Done by
1/1/24	Technical Inspection	Temperature Checked	Ruby
5/7/24	Technical Inspection	Temperature Checked	Ruby




Principal

Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rugnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.





Principal

Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rugnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.

Chhatrapati Shahu maharaj Sahikshan Sanstha's
AYURVED MAHAVIDYALAYA & RUGNALAYA
Kanchanwadi, Chhatrapati Sambhajinagar
Library Advisory Committee : 2024-2025

Sr. No.	Name of Teacher	Post	Mob.No.
1	Dr. Amle Deepali J.	Incharge	9423456556
2	Dr. Puri Vanita N.	Member	9096890140
3	Dr. Maske Pallavi G.	Member	8208796001
4	Mr. Pathare Dattu W.	Member	8087539025
5	Mrs. Shrikhande Seema D.	Member	7387194258
6	Mr. Shrikhande Manoj . D.	Member	9284174935
7	Dr. Laghane Akansha . (PG)	Student Member	9922218867



Jeebhman

Principal

CSMSS

Chhatrapati Shahu Maharaj Sahikshan Sanstha's
Ayurved Mahavidyalaya & Rugnalaya
Kanchanwadi, Chhatrapati Sambhajinagar

2024-25 -
Notice No. 1




01.05.06.2024

All library committee members are hereby informed that committee meeting is scheduled on 06-06-2024 at 11 am at library.


Agenda : 1) Regarding library website


Dr. Amale D.I.
Library committee Incharge

Committee members :-

- 1) Dr. Amale D.I. - 
- 2) Dr. Puri V.N. - 
- 3) Dr. Maske P.G. - 
- 4) Mr. Pathare D.W. - 
- 5) Mr. Shrikhande S.D. - 
- 6) Mr. Shrikhande M.D. - 








Principal
Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rughalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.

Agenda : - Regarding library website.


minutes of meeting :

- 1) on library website, university and internal examination papers uploaded in e-learning bank.
- 2) on e-resources, e-dissertations, e-books, e-journals uploaded.
- 3) Manteeb publications review e-mail given regarding their 11 issues related to Ayurveda [Hard copies.]
- 4) As per the gazettee, 2016 & 2024 comparative chart regarding library requirement prepared & given.
- 5) Reminder requirement is given for blue boards.
- 6) OCI record updated related to library.
- 7) NDLI club registration started.
- 8) All colleges of C.S.M.S.S. sanstha's library committee meeting attended.

committee members :

- 1) Dr. Amale D.T. - 
- 2) Dr. Puri V.N. - 
- 3) Dr. Maske P.S. - 
- 4) Mr. Pathare D.W. - 
- 5) Mr. Shikhande S.D. - 
- 6) Mr. Shikhande M.P. - 




Principal

Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rugmalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.

Notice no. 02.

07.12-07-2024

All library committee members are hereby informed that committee meeting is scheduled on 13-07-2024 at 11am at library.

Agenda:- Regarding NDLI club

Dr. Amale D.I.

Library committee Incharge

committee members:-

- 1) Dr. Amale D.I. - Amale X
- 2) Dr. Puri V.N. - Puri
- 3) Dr. Maske P.G. - Maske
- 4) Mr. Pathare D.W. - Pathare
- 5) Mr. Shrikhande S.D. - Shrikhande
- 6) Mr. Shrikhande M.D. - Shrikhande



Principle
Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rughalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.

• At meeting

• Venue of Meeting





Time at

Agenda:- Regarding NDLI club.


minutes of meeting:-

- 1) NDLI club passkey newly generated for academic year 2024-2025.
- 2) NDLI club registration of UG, P.G. students is in process.
- 3) OER record for rating completely updated.
- 4) Library website - Online-e-resources [OER] is updated.
- 5) New journals of Mandeep publications received - (i) Hard copies.
- 6) AIAPGCET - question bank collected and book is prepared for ready reference.
- 7) New books according to CBDC NCISOM syllabus, for Ist & IInd year, requisiment given.

Committee members:-

- 1) Dr. Amale D. J. - 
- 2) Dr. Puri V. N. - 
- 3) Dr. Madhe P. S. - 
- 4) Mr. Patil D. W. - 
- 5) Mrs. Shrikhande S. D. - 
- 6) Mr. Shrikhande M. D. - 




Principal
Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rughalaya,
Kanchanwadi, Chhatrapati Sambhajnagar.

Notice no. 03

DT. 23-09-2024


All library committee members are hereby informed that committee meeting is scheduled on 24-09-2024 at 11am at library.

Agenda: - review regarding OOI Inspection



Dr. Amale D.J.

Library committee Incharge

committee members

- 1) Dr. Amale D.J. - 
- 2) Dr. Puri V.N. - 
- 3) Dr. Madhe P.G. - 
- 4) Mr. Patil D.W. - 
- 5) Mr. Shrikhande S.D. - 
- 6) Mr. Shrikhande M.D. - 




Principal

Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rughalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.

Meeting No. 03.

Dt. 24-08-2024






76

Agenda! - Review regarding aei Inspection.

minutes of meeting! -


- 1) successfully aei Inspection passed, on 21st August 2024. Appreciated library work by aei members.
- 2) 3 NDLI events are conducted successfully.
- 3) New order for books given are sanctioned.
- 4) Delnet subscription is continued for the year 2024-2025 on 18-9-2024.
- 5) List of books, as per NCISM, 1st year syllabus, is prepared.

committee members! -

- 1) Dr. Amde D.J. - 
- 2) Dr. Puri V.N. - 
- 3) Dr. Maste P.S. - 
- 4) Mr. Patil D.W. - 
- 5) Mrs. Shrikhande S.D. - 
- 6) Mr. Shrikhande M.D. - 

Principal





Principal

Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Ragnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.

notice no. 04.

dt. 19-9-2024



All library committee members are hereby informed that committee meeting is scheduled on 20-9-2024 at 11 am at library.

Agenda: - 1. purchase order for new books.



Dr. Amale D.T.

Library committee Incharge

committee members:-

- 1) Dr. Amale D.T. - 
- 2) Dr. Puri V.N. - 
- 3) Dr. Maske P.G. - 
- 4) Mr. Patil D.W. - 
- 5) Mrs. Shrikhande S.D. - 
- 6) Mr. Shrikhande M.D. - 




Principal



Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Ragnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.

Agenda - purchase order for new books.

Minutes of meeting :-


- 1) purchase order with check given to chankhambh publication on 18-9-2024.
- 2) for ISO inspection, documents are made ready. Inspection will be on 25.09-2024.
- 3) Library website work is going on.

Committee members :-

- 1) Dr. Amde D.I. - 
- 2) Dr. Puzi V.N. - 
- 3) Dr. Maste P.G. - 
- 4) Mr. Pathare D.W. - 
- 5) Mr. Shrikhande S.D. - 
- 6) Mr. Shrikhande M.P. - 

॥ श्रीगणेशाय नमः ॥
चिह्नापति शाहू महाराज शिक्षण संस्था
अथर्वतंत्रज्ञान महाविद्यालय & रघुनाथालय
कान्हावडी, चिह्नापति संभाजीनगर





Principal

Chhatrapati Shahu Maharaj Shikshan Sansha's
Ayurved Mahavidyalaya & Rughnalya,
Kanchanwadi, Chhatrapati Sambhajinagar.

Notice NO. 05

Dt. 17-10-2024



All library committee members are hereby informed that committee meeting is scheduled on 18-10-2024 at 11am at library.

Agenda:- Accession numbers to new books-


Dr. Amale D.I.

Library committee Incharge

Committee members:-

- 1) Dr. Amale D.I. - 
- 2) Dr. Puri V.N. - 
- 3) Mr. Maske P.S. - 
- 4) Mr. Pathare D.W. - 
- 5) Mr. Shrikhande S.D. - 
- 6) Mr. Shrikhande M.D. - 




Principal






Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Ragnalaya,
Kanchanuradi, Chhatrapati Sambhajinagar.

Agenda:- Accession numbers to new books.

minutes of meeting:-

- 1) Accession number is given to 363 newly purchased books.
- 2) Bar coding is in process for newly purchased books.
- 3) ISO NCI are cleared and submitted to auditor.
- 4) Instructions are given for cleanliness of seating area, internet lab., & book racks.


committee members:-

- 1) Dr. Amale D.T. — 
- 2) Dr. Puri V.N. — 
- 3) Dr. Meeke P.S. — 
- 4) Mr. Pathare D.W. — 
- 5) Mr. Shrikhande S.D. — 
- 6) Mr. Shrikhande M.D. — 

legitima

प्रमाणित किताबें (प्रमाणित किताबें)
चलाना & चलायमान बनाना
अन्य किताबें (अन्य किताबें) प्रमाणित




08/01/2025

Principal

Chhatrapati Shahu Maharaj Shiksha Sanstha's
Ayurved Mahavidyalaya & Ragnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.

Notice no.06

Dt. 22-11-2024





All library committee members are hereby informed that committee meeting is scheduled on 23-11-2024 at 11 am at library.

Agenda:- Training to newly admitted U.G and P.G. students.



Dr. Amale D.I.

Library committee Incharge

Committee members:-

- 1) Dr. Amale D.I. - 
- 2) Dr. Puri V.N. - 
- 3) Dr. Maske P.G. - 
- 4) Mr. Pathare D.W. - 
- 5) Mrs. Shrikhande S.D. - 
- 6) Mr. Shrikhande M.D. - 




Principal

Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rugdolaya,
Kanchanwadi, Chhatrapati Sambhajinagar.

Agenda:- Training to newly admitted UG and P.G. students.

minutes of meeting :-

- 1) In induction programme of U.G., 100 U.G. students are aware about OPAC system, library rules & regulations & how to avail facilities of online access of library. - on 07-11-2024
- 2) In Sanskar induction programme of P.G., 46 students are made aware about OPAC system, library rules & regulations & how to avail facilities of online access of library - on 16-11-2024
- 3) NDLI club registration is decided to complete in month of January.

Committee members -

- 1) DR. Amale D.J. - Sub
- 2) Dr. Puri V.N. - Lib
- 3) Dr. Maske P. - Prin
- 4) Mr. Patkar D.W. - Pat
- 5) Mr. Shinkhande S.D. - S.D.
- 6) Mr. Shinkhande M.P. - M.P.



Shinkhande

Principal

Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Bughalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.

Notice no. 07.



Dt. 23-12-2024

All library committee members are hereby informed that committee meeting is scheduled on 24-12-2024 at 11am at library.


Agenda :- Regarding yearly subscription of journals.


Dr. Amale D.J.
Library committee Incharge

committee members :-

- 1) Dr. Amale D.J. - 
- 2) Mr. Puri V.N. - 
- 3) Dr. Maske P.G. - 
- 4) Mr. Pathare D.W. - 
- 5) Mrs. Shrikhande S.D. - 
- 6) Mr. Shrikhande M.D. - 




Principal

Chhatrapati Shahu Maharaj Shiksha Sanstha's
Ayurved Mahavidyalaya & Rughalaya,
Kanchanwadi, Chhatrapati Sambhajinagar





Agenda . Regarding yearly subscription of journals.

minutes of meeting:-

- 1) Requirement is given for ^{yearly} renewal of all yearly journals.
- 2) For betterment of computers and library data, pen drive, hard disc, requirement is given.
- 3) As per NCISM norms for library, headphones & 14 new computers requirement is given.
- 4) Review of library cleanliness is taken & accordingly instructed to students.
- 5) Quotation called for new NCISM books.
- 6) As per the instructions given by principal complaint file & library applications file is prepared.
- 7) Decided to give serial numbers for study cabinet.
- 8) Application is given for technical support from IT department regarding cleaning of Desk top, junk files, and downloaded files.

committee members -

- 1) Dr. Amale D.T. - 
- 2) Dr. Puri V.N. - 
- 3) Dr. Maske P.S. - 
- 4) Mr. Patnare P.W. - 
- 5) Mr. Shrikhande S.D. - 
- 6) Mr. Shrikhande M.D. - 


Principal
Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rugmalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.



Notice NO. 08.



Dt. 27-01-2015


All library committee members are hereby informed that committee meeting is scheduled on 28-01-2015 at 11 am at library.

Agenda 1 - Regarding review of last meeting.


Dr. Amele D.I.
Library committee Incharge

committee members :-

- 1) Dr. Amele D.I. - 
- 2) Dr. Puri N.N. - 
- 3) Mr. Maske P.G. - 
- 4) Mr. Patnase D.W. - 
- 5) Mr. Shrikhande S.D. - 
- 6) Mr. Shrikhande M.D. - 



Principal
Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rughalaya,
Kanchanwadi, Chhatrapati Sambhajinagar






Agenda:- Regarding review of last meeting.

minutes of meeting:-

- 1) Renewal of Journals completed in January.
- 2) Reminder is given for updation of computers.
- 3) Reminder for requirement is decided to give.
- 4) New NCERT syllabus books are received from Chaitanya publications. 65 total books.
- 5) Reminder for ^{new} Water cooler is decided to give.

committee members:-

- 1) Dr. Amale D.T. — 
- 2) Dr. Puri V.N. — 
- 3) Dr. Maske P.G. — 
- 4) Mr. Patil D.W. — 
- 5) Mr. Shikhande S.D. — 
- 6) Mr. Shikhande M.D. — 



Principal

Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Ragnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.



Notice no. 09

Dt. 24-02-2025




All library committee members are hereby informed that committee meeting is scheduled on 25-02-2025 at 11 am at library.


Agenda :- Regarding updation of library website.


Dr. Amale D.J.

Library committee Incharge

Committee members :-

- 1) Dr. Amale D.J. — 
- 2) Dr. Puri V.N. — 
- 3) Dr. Maske P.G. — 
- 4) Mr. Pethare D.W. — 
- 5) Mr. Shrikhande S.D. — 
- 6) Mr. Shrikhande M.D. — 



Principal

Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rughalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.



Meeting no. 09





DT. 25-02-2025


Agenda :- Regarding updation of library website

minutes of meeting :-

- 1) free journal list with its URL is uploaded on website.
- 2) CCRAS has developed QR code for ancient Samhitas & Nighantus. Decided to display QR codes at different places, as per discussion with principal.
- 3) computers & its accessories related seminar is decided to give.
- 4) new publication Athendium solutions^{LTB} journal list is under review with principal.

Committee members :-

- 1) Dr. Amale D.T. - 
- 2) Dr. Puri V.N. - 
- 3) Dr. Maske P.G. - 
- 4) Mr. Patnaye D.W. - 
- 5) Mr. Shrikhande S.D. - 
- 6) Mr. Shrikhande M.D. - 



Principal

Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rignalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.



Notice No. 10


Dt. 20-03-2024

All library committee members are hereby informed that committee meeting is scheduled on 21-03-2024 at 11 am at library.

Agenda :- updation → ~~Library~~ NCISM inspection suggestions.

Dr. Amale D. J.
Library committee Incharge

committee members :-

- 1) Dr. Amale D.J. - 
- 2) Dr. Puri V.N. - 
- 3) Dr. Maske P.G. - 
- 4) Mr. Gawande - 
- 5) Ms. Shikhande S.D. - 
- 6) Mr. Shikhande M.D. - 



Prashant

Principal

Chhatrapati Shahu Maharaj Shiksha Sanstha's
Ayurved Mahavidyalaya & Ruznalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.

Agenda :- updation → NCISM inspection suggestions.

minutes of meeting :-

- 1) As per new NCISM guidelines May 2024, reminder for requirement is given.
- 2) IT Lab updation is pending. Hence, requirement is given.
- 3) New research methodology & biostatistics, books are purchased for UG & PG use. Accession numbers is in process.
- 4) New NCISM syllabus files are prepared.
- 5) water cooler repairing is pending.
- 6) cleanliness is regularly monitored.

Committee members :-

- 1) DR. Amala D. J. - [Signature]
- 2) Dr. Puri V. N. - [Signature]
- 3) Dr. Maske P. G. - [Signature]
- 4) Mr. Sawande - [Signature]
- 5) Mr. Shrikhande S. D. - [Signature]
- 6) Mr. Shrikhande M. D. - [Signature]

[Signature]

Principal

Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Ragnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar



Notice no. 11.

Dt. 28-04-2024

All library committee members are hereby informed that committee meeting is scheduled on 29-04-2024 at 11 am at library.


Agenda :- Regarding EBSCO, MUKS Digital consortia.




Dr. Amale D.J.

Library committee Incharge

Committee members :-

- 1) Dr. Amale D.J. - 
- 2) Dr. Puri V.N. - 
- 3) Dr. Mestke P.S. - 
- 4) Mr. Sawade A. - 
- 5) Mr. Shikhande S.D. - 
- 6) Mr. Shikhande P.D. - 



Principal

Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rugnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.



meeting no. 11






Dt. 29 - 04 - 2025 84


Agenda:- Regarding EBSCO, mult Digital
consortia.

minutes of meeting :-

- 1) As per university guidelines, college/has library participated in EBSCO digital library.
- 2) For this given amount has paid.
- 3) NDLI event on safety management was conducted on 28-04-2025.
- 4) Reminder letter for updation for IT Lab. is given.


committee members :-

- 1) DR. Amale D. T. 
- 2) DR. Puri V. N. - 
- 3) DR. Maske P. S. - 
- 4) Mr. Gawande - 
- 5) Mrs. Shrikhande S. D. - 
- 6) Mr. Shrikhande M. D. - 


Reshma

Principal

Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rugnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.



Notice No. 12

22-05-2015

All library committee members are hereby informed that committee meeting is scheduled on 23-05-2015 at 11am at library.


Agenda: - As per act, update library data.


Dr. Amale D. J.
Library committee Incharge

committee members: -

- 1) Dr. Amale D. J. - 
- 2) Dr. Puri V. N. - 
- 3) Dr. Maske P. S. - 
- 4) Mr. Gawande A. - 
- 5) Mr. Shrikhande S. D. - 
- 6) Mr. Shrikhande M. D. - 




Principal

Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Ragnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.

Meeting No. 12


07.03.05.2025

Agenda :- As per aet, update library data.


minutes of meeting :-

- 1) In aet, criteria 3, library related data is required. Hence, prepared accordingly, - No. of books, no. of E-books, no. of Journals, no. of E-journals, expenses, remote access, NDLI data is uploaded on portal.
- 2) Files of above data are prepared for aet online assessment.

Committee members :-

- 1) Dr. Amale D.T. - 
- 2) Dr. Puri V.V. - 
- 3) Dr. Mestke P.S. - 
- 4) Mr. Gawande A. -
- 5) Mrs. Shrikhande S.D. - 
- 6) Mr. Shrikhande M.D. - 





Principal

Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Ragnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.



Estd : 1989
NCISM College Code : AYU0153
MUHS College Code : 124101

NAAC ACCREDITED WITH B++, GC1 "A" Grade, NABH & ISO 21001:2018 CERTIFIED

छत्रपती शाहू महाराज शिक्षण संस्था संचालित

आयुर्वेद महाविद्यालय व रुग्णालय

CHHATRAPATI SHAHU MAHARAJ SHIKSHAN SANSTHA'S

AYURVED MAHAVIDYALAYA & RUGNALAYA

(Recognized by National Commission for Indian System of Medicine, Ministry of AYUSH,
Govt. of India, New Delhi & Affiliated to Maharashtra University of Health Sciences, Nashik.)



Date: 16/06/2025

To,
The Principal,
Chhatrapati Shahu Maharaj Shikshan Sanstha's
Ayurved Mahavidyalaya & Rugnalaya,
Kanchanwadi, Chhatrapati Sambhajinagar.

Sub.: Submission of Annual Report Library Committee -2024-2025
(Period 01.06.2024 to 31.05.2025)

Name of Committee In charge:- Dr. Amale D.J.

Total Meeting taken: 12

Proceedings: -

- 1) On Library Website University and Internal examination papers are uploaded.
- 2) Man-Tech Publication 11 Hard copies received.
- 3) Blue display boards Small size - 25 & large size - 04 are received.
- 4) AIAPGCET Question bank / Papers binded as book and access is given on website.
- 5) New Librarian Mr. Amol Gawande joined on 15.03.2025.
- 6) Regular book distribution is done & its record is maintained in OPAC and manually.
- 7) Number of books displayed regularly on display board.
- 8) All paid journals are updated & their annual fees paid regularly.
- 9) PG. student submitted dissertations in soft & hard for the year 2021-2024.
- 10) DELNET Subscription was renewed for the Year-2024-2025.
- 11) 460 new books from Chaukhambha Publication are purchased as per new syllabus and displayed

Arrival Rack.

- 12) Library Timings were extended form 8:30am to 08:00pm timely during the exams.
- 13) Library is opened on all Government holidays.
- 14) Tea refreshment facility is provided to students in evening during extended period.
- 15) Paste control was done twice & monthly spraying of disinfectant is regularly carried out.

Address : Kanchanwadi, Palthan Road, Chhatrapati Sambhajinagar-431 011. (M.S.) | कांचनवाडी, पैठण रोड, छत्रपती संभाजीनगर - ४३१ ०११ (एम.एस.)

Tel: (0240) 2646201, 2646202, 2646464 Fax: (0240) 2646222

Email: principal@csmsayurved.com, principalcsmsayu@gmail.com, Website: www.csmsayurved.com



Estd : 1959
NCISM College Code : AYU9153
MUHS College Code : 124101

NAAC ACCREDITED WITH B++, QCI "A" Grade, NABH & ISO 21001:2018 CERTIFIED
छत्रपती शाहू महाराज शिक्षण संस्था संचालित

आयुर्वेद महाविद्यालय व रुग्णालय

CHHATRAPATI SHAHU MAHARAJ SHIKSHAN SANSTHA'S

AYURVED MAHAVIDYALAYA & RUGNALAYA

(Recognized by National Commission for Indian System of Medicine, Ministry of AYUSH,
Govt. of India, New Delhi & Affiliated to Maharashtra University of Health Sciences, Nashik.)



16) In Induction program of UG & PG - library visit was organized where students were given easy access whole library.

17) Regular training of OPAC is organized for newly admitted 1st Year UG & PG Students.

18) DELNET subscription was renewed for the year 2024-2025.

19) KNIMBUS platform provided by MUHS is activated by all staff & PG students.

20) EBSCO Platform provided by MUHS is activated by all staff & PG students.

21) NDLI programs were carried out - 06.

22) SWAYAM platform is made available for faculty, UG & PG students.

23) NCISM Inspection was carried out on -05/02/2025, well equipped & e-library was appreciated Inspectors.

24) Prepared SOP for functioning of library.

25) Complaint file & library application file is prepared.

26) Serial numbers are given for study cabinet.

27) CSMSS Ayurved Library website is updated time to time.

28) As per ISO requirement - library is updated.

29) EBSCO - e-Platform registration done for easy access to full text journals in collaboration with MUHS.

Committee Members:-

Dr. Amale D.J. -

Dr. Puri V. N. -

Dr. Maske P.G. -

Mr. Gawande A. S. -

Mrs. Shrikhande S. D. -

Mr. Shrikhande M.D. -



Reshman
Principal
Principal

CSMSS Ayurved Mahavidyalaya
Chhatrapati Sambhajinagar.

Address : Kanchanwadi, Paithan Road, Chhatrapati Sambhajinagar-431 011. (M.S.) | कांचनवाडी, पैठण रोड, छत्रपती संभाजीनगर - ४३१ ०११ (एम.एस.)
Tel: (0240) 2646201, 2646202, 2646464 Fax: (0240) 2646222

Email: principal@csmsayurved.com, principalcsmsayu@gmail.com, Website: www.csmsayurved.com