

पूनी

दि: 15/12/2020

पुस्तकालय अधिकारी कोटव  
 कान्चनवडी आर्युद विद्यालय नर्मदा  
 कान्चनवडी अहमदाबाद

विषय :- अनुमति पत्र रद्दी मिलणे बाबत

महोदय :-

वरील विषयी अविवेक बाबत उरती ही आर्युद  
 पुस्तकालय फार्म येथे लिमिटेड जोल वनवड्याने डान  
 पालु याले अनुमति त्या करिता रद्दी पत्रची  
 रद्दी अनुमति आम्हाला रद्दी पत्र मिळावे.  
 दि. गा. वि. नं. 15/12/2020

To

The Library  
 Polytechnic  
 Denial

Received - 85kg 15/12/2020

Signature  
 Please issue

15/12/2020



Permitted

Signature  
 15/12/2020

Signature  
 Principal

C.S.M.S.S. Ayurved Mahavidyalaya,  
 Kancharwadi, Aurangabad.

दि. 29/01/2020

प्रति,

प्रचार्य/मुशालकीय अधिकारी कोल  
अयुर्वेद मुशालीखाय, कान्हावडी,  
ठांभगावडी, औरंगाबाद.

विषय:- रूखी व अंगारू लंघन  
मसौदा,

करीब किस्मी किंती की आपला  
उत्पादनमात्रिक पैपर रूखी व अंगारू कीलकोर  
फार्लिड अंगारू सिद्ध रूखी अंगारू अंगारू  
निकले आहे. खालील प्रमाण रूखी किंती अयुर्वेद  
ती कोर पाठ्याय परवानगी करावी.

1) पैपर रूखी	-	<u>127kg</u> x 9	= 1143
2) माकीड रूखी	-	<u>25kg</u> x 9	= 225
3) रेकोड रूखी	-	<u>73kg</u> x 9	= 657
4) फार्लिड अंगारू	-	<u>40kg</u> x 10	= 400
5) पुढी	-	<u>2kg</u> x 6	= 12
			<u>2437</u>

Permit No  
29/01/2020

29/01/2020



Principal  
C.S.M.S.S. Ayurved Mahavidyalaya  
Kanchanwadi, Aurangabad  
Store Keeper  
C.S.M.S.S. Ayurved Mahavidyalaya  
Kanchanwadi, Aurangabad

प्रति,

प्रचार्य / प्रशासकीय अधिकारी,  
छ. गा. म. शिक्षण संस्था,  
आयुर्वेद महाविद्यालय,  
कंचनवाडी, औरंगाबाद.




विषय :- ग्रंथालयातील गुनी रद्दी (2018-19)  
विक्रीबाबत.


महोदय,

आपल्या ग्रंथालयातील गुन्या वर्तमान पत्रांची  
व सामान्य मारिकुंची रद्दी विक्री संदर्भात सविनय  
अर्ज करण्यात येत आहे.

धन्यवाद.


\* ग्रंथालय समिती

- Dr. Amale D. J. - 
- Dr. Puri V. N. -
- Dr. Patilkar B. D. -
- Dr. Phaske P. -
- Mr. Pathare D. W. - 
- Mrs. Shirkande S. D. - 

  
आपला विरवारू



Principal  
C.S.M.S.S. Ayurved Mahavidyalaya,  
Kanchanwadi, Aurangabad.

  
Reshma  
12/06/2019

दि. 13/01/2019

श्री,

प्रभार/प्रशासकीय अधिकारी कोलेज  
आयुर्वेद महाविद्यालय, कर्णालय,  
श्रीमनवाडी, औरंगाबाद.

विषय :- रद्दी किरी संदर्भात.

महोदय,

वरिले दिहयी निनीती पुनडे अर्ज  
सार बुरतो की, आपणा महाविद्यालयातील  
रवालीत पुमाने रद्दी किरीत रद्दी भोडात  
जागा किडत दिले आहे.

तरी त्याचा नेऊ देमात व पावती  
काढण्यात परवानगी द्यावी  
रि निनीती

*Seshman*

Principal  
C.S.M.S.S. Ayurved Mahavidyalaya,  
Karnawadi, Aurangabad.



- 1) पुढ्या रद्दी -  $123 \text{ kg} \times 6 = 738$
- 2) पेपर रद्दी -  $334 \text{ kg} \times 11 = 3674$
- 3) मासिक रद्दी -  $591 \text{ kg} \times 12 = 708$
- 4) पुकात (Hostel) -  $511 \text{ kg} \times 12 = 6132$

*Seshman*  
Store Keeper  
C.S.M.S.S. Ayurved Mahavidyalaya  
Karnawadi, Aurangabad

*[Signature]*  
13/1/19

Total 11,252

To A/c  
to accept 11,252  
*Seshman*  
13/1/2019

दि. 23/06/2018

पुति

पुणवर्ष / पुणवर्षीय आधिकारी कोष  
आयुर्वेद महाविद्यालय, कान्हावडी  
श्री मन्वाजी कौन गांधार

विषय :- रद्दी संदर्भित

महोदय

वरील विषयी निर्णती की आपला  
आदेशानुसार संतोष केंद्र कंपनी यांना आप  
महाविद्यालय व पुणवर्षीय आधिकारी रद्दी विषयी असु  
लीने वजन रवाकील पुढावे आहे.

तरी सदर रद्दी कोष्ट पाहण्याक परवा  
स्वाकी हि निर्णती.

1) वर्तमान पत्र (जेवदरशी) - 197.900

2) माकील रद्दी

3) पुांमस्तीपु पुस्ती

4) पुढी



Principal  
C.S.M.S.S. Ayurved Mahavidyalaya,  
Kanchanwadi, Aurangabad.

26.400

125.300

Handwritten signature and date 23/6/18

Handwritten signature and date 23/6/18

Store Keeper  
C.S.M.S.S. Ayurved Mahavidyalaya  
Kanchanwadi, Aurangabad

ग्रंथालय विभाग

दि. 15/03/2018

प्रति,

प्रान्याय / प्रशासकीय अधिकारी,  
छा. शा. म. विभाग संस्था,  
आयुर्वेद महाविद्यालय,  
कान्चनवाडी, औरंगाबाद.

विषय :- ग्रंथालयातील जुनी रद्दी  
लिकणेबाबत.

महोदय,

आपल्या ग्रंथालयातील जुन्या वर्तमान  
पत्रांची व साभाल्य मासिकांची रद्दी लिकणे संदर्भात  
सविनय अनुरोध करूयात येत आहे.

धन्यवाद.

\* ग्रंथालय समिती

- 1) डॉ. Amale D. J. - [Signature]
- 2) डॉ. Bawankar R. J. -
- 3) डॉ. Patil V. N. - [Signature]
- 4) डॉ. Patilhanekar M. M. - [Signature]
- 5) डॉ. Pathare D. W. - [Signature]
- 6) डॉ. Shrinande S. B. - [Signature]

[Signature]  
आपला विश्वासू  
(पत्रे द. वा.)

To,  
Mr. Rahul  
for needful

[Signature]  
19/03/2018.

To,  
Mr. Solunke Sahab &  
Mr. Labde Sahab  
weight the scrap  
10 K.G. each separate bundle



[Signature]  
Principal

C.S.M.S.S. Ayurved Mahavidyalaya,  
Kanchanwadi, Aurangabad.

[Signature]  
19/03/2018.

Date: - 14

Sr. No.	Name of college	Name of item
		346 kg
		125 kg
		178 kg
#	211495	346 kg
		125 kg
		178 kg
		26 kg
		125 kg
		178 kg
		-
		950 kg
		390 kg
		204 kg

445 250 950 X 9/- = 8550/- ✓  
 390 X 8/- = 3120/- ✓  
 204 X 10/- = 2040/- ✓  
13710/- ✓

Principal  
 CSMSS, Puzos, Maharashtra  
 Sanjaywadi, Anandnagar

Date: 14/11/20

Date - 10/1/15

	NAME	PLANT
400 RS	300	40000
740 RS	123 RS	175 RS
432 RS	90 RS	20 RS
125 RS	177 RS	-
950 RS	390 RS	204 RS

400  
740  
432  
125

Restman

400 x 50 = 20000  
 300 x 50 = 15000  
 204 x 100 = 20400  
 -----  
 55500



Signature

Signature



दि. 13/5/2024

प्रति.

श्री. प्राचार्य साहेब

सहस्रपती बाबू महाराज शिक्षण संस्था,  
आयुर्वेद महाविद्यालय, कान्चनवाडी.

औरंगाबाद

विषय: भंगार मध्ये पुढ्या विक्रीचा अर्जात

मध्यांत: विनंती की, आपल्या संस्थेत -  
इतारती जास्त स्वामी प्रमाणे भंगार सामान  
पडलेले आहे तरी ते सामान भंगार  
मध्ये विकण्याकरिता परवानगी देण्यात  
आली हि मग विनंती.

- ① जास्त पुढ्या अंदाजे वंजत 150 kg
- ② सिन्टेस चाणी ५५०  
3000 लिटर 02 kg
- ③ क्लॉरिनाईड लवण 10

Permitted  
Signature  
2024



Signature

आचार्य विद्यालयात

Principal  
C.E.M.S.S. Ayurved Mahavidyalaya,  
Kanchanwadi, Aurangabad.

PDF Created Using



# Camera Scanner

Easily Scan documents & Generate PDF



<https://play.google.com/store/apps/details?id=photo.pdf.maker>

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 /24023515

Website: <http://mpcb.gov.in>

E-mail: [mpcb@vsnl.net](mailto:mpcb@vsnl.net)



Kalpataru Point, 2<sup>nd</sup> - 4<sup>th</sup> Floor,  
Opp. Cine Planet Cinema,  
Near Sion Circle, Sion (E)  
Mumbai - 400 022

Red/LSI

Date: 26/07/2016

Consent No: Format 1.0/BO/PSO/CC-9461

To,

M/s. C.S.M.S.S. Ayurved Mahavidyalaya  
And Rugnalaya, Kanchanwadi, Paithan Road,  
Aurangabad - 431002.

e-mail : [principal@csmsayurved.com](mailto:principal@csmsayurved.com)

**Subject: Combined Consent to Operate and BMW Authorization under RED category to Health Care Establishment (HCE).**

- Ref :
1. Your BMW Consent and Authorization application received to MPCB, HQ, Sion, Mumbai on 11.05.2015
  2. This office email on 03.08.2015
  3. Minutes of 8<sup>th</sup> CC meeting held on 23.09.2015
  4. SCN for refusal issued on 17.11.2015
  5. This office email on 16.01.2016
  6. Your reply vide letter dated 12.02.2016 received on 18.02.2016
  7. Your email on 03.03.2016
  8. Minutes of 1<sup>st</sup> CC meeting held on 29.04.2016

## Combined Consent to Operate

under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 and Biomedical Waste Management Rules 2016, as amended is considered and the consent is hereby granted subject to following terms and conditions and as detailed in the schedule I, II, III, IV & V annexed to this order:

1. The Consent to operate is granted for a period from 04.06.2012 and 31.01.2017
2. The capital investment of the HCE is Rs. 1.77 Cr.  
(C. A. Certificate is required by the HCE)
3. The Consent is valid for the Activity of -

*Rashmi*  
Principal  
C.S.M.S.S. Ayurved Mahavidyalaya,  
Kanchanwadi, Aurangabad.



Sr. No.	Activity	Beds
1	Hospital	
	a) Beds	120 Nos.
	b) Total Plot Area	2000 sq. mtrs.
	c) Total Built up Area	1903 sq. mtrs

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	--	N.A.	N.A.
2.	Domestic effluent	36.7	As per Schedule -I	Municipal Sewer

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	D.G. Set (62.5 KVA)	1 no.	As per Schedule - II

6. Non-Hazardous Solid Wastes:

Sr. No.	Type of Waste	Quantity	UOM	Treatment	Disposal
1	Sludge from Sewage Water treatment	As per Actual	MT/year	--	Municipal Landfill

7. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

9. This consent is issued subject to conditions mentioned below,

- i) The "authorized Person" Principal, M/s. C.S.M.S.S. Ayurved Mahavidyalaya and Rughalaya, Aurangabad shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
- ii) Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
- iii) If built up area exceeds more than 20,000 sq. mtrs. and if the hospital is commissioned after 14.09.2006, the project proponent shall comply EIA Notification 14.09.2006
- iv) The hospital authority has to submit a self attested undertaking on letter head signed by authorized person regarding non applicability of , RRZ, CRZ, existing built up area.
- iii) You shall submit details of Management and Handling of outdated, discarded, unused **Cytotoxic drugs** generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) alongwith Annual Report to MPCB with a copy to CPCB before 31<sup>st</sup> January every year.

*Sachin*  
Principal

C.S.M.S.S. Ayurved Mahavidyalaya

M/s. Ayurved Mahavidyalaya, Aurangabad, S.D.O. Aurangabad, 431001



- (iv) You shall manage the **Mercury Waste** in the HCE in environmentally sound manner including storage, spilled collection, transportation and disposal as per CPCB guidelines published CPCB website [www.cpcb.nic.in](http://www.cpcb.nic.in) dated:07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
- (v) You shall continue with the submitted **Bank Guarantee of Rs. 2.00 Lakhs** towards compliance of condition mentioned at Annexure - IV to Regional Office, Aurangabad within 30 days.
- (vi) You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Aurangabad for verification purpose.
- (vii) You shall submit application for renewal of Combined\*Consent and Biomedical Waste authorization before 120 days along with appropriate fees.

For and on behalf of the  
Maharashtra Pollution Control Board

*(Signature)*  
(P. K. Mirashe)  
Member Secretary

Received Consent / Authorization fee of -

Sr. No.	Amount (₹)	DD. No.	Date	Drawn On
1	15,000/-	467448	27.02.2015	State Bank of Hyderabad
2	5,000/-	850458	20.04.2015	State Bank of Hyderabad
3	65,000/-	307793	25.01.2016	State Bank of Hyderabad

Copy to:

1. Regional Officer - MPCB, Aurangabad and Sub - Regional Officer - Aurangabad-I, MPCB - They are directed to ensure the compliance of the CCA conditions.
2. Chief Accounts Officer, MPCB, Mumbai- for information.

*(Signature)*

Principal

C.S.M.S.S. Ayurved Mahavidyalaya,  
Kanchanwadi, Aurangabad.



**Schedule-I**

**I) Terms & Conditions for compliance of Water Pollution Control**


- 1) A) You shall provide combined waste water primary treatment for the Trade effluent and domestic sewage generated from the hospital and thereafter the treated effluent shall be discharged in to Sewage Treatment Plant with the adequate design capacity followed by Chlorination and the treated water shall be disposal to Municipal Sewer / Land application after achieving standard prescribed below:
- B) The Applicant shall operate the combined waste water treatment plant to treat the trade and domestic effluent so as to achieve the following standards prescribed by the Board or under E. P Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr. No.	Parameters	Discharge Standards applicable
		<b>Limiting Concentration in mg/l, except for pH</b>
01	pH	6.5-9.0
02	Oil & Grease	10
03	BOD (3 days 27°C)	30
05	COD	250
06	Total Suspended Solids	100
08	Bio-Assay test	90 % survival of fish after 96 hours in 100 % effluent.

- C) The treated sewage shall be disposed on land for gardening/irrigation and excess shall be disposed to Municipal Sewage.
- 2) A) You shall provide ETP followed by sewage treatment plant (combined treatment) with the adequate design capacity.
- B) You shall operate the treatment plant so as to achieve the above discharge standards.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waste water & the system for the disposal of effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps for expansion / modify or establish any modification to treatment and disposal system or an extension or addition thereto.
- 4) You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) You shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

  
Principal  
C.S.M.S. Ayurved Mahavidyalaya,  
Kanchanwadi, Aurangabad.





II) Conditions under Water (Prevention & Control of Pollution) CESS Act, 1977 as amended

The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. No.	Purpose for water consumed	Water Consumption quantity CMD
1.	Industrial Cooling and boiler feed etc.,	--
2.	Domestic purpose	--
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	42.0
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	--
5.	Other such as agriculture, gardening, etc.	--

Maharashtra Pollution Control Board

*msb*

*Reshma*

Principal  
C.S.M.S.S. Ayurved Mahavidyalaya,  
Kanchanwadi, Aurangabad.



## Schedule-II

### Terms & conditions for compliance of Air Pollution Control

1. As per your application, you have proposed / provided the Air pollution control (APC) system and also proposed to erect/erected following stack (s) to observe the following fuel pattern-

Sr. No.	Stack Attached to	Height in meter	Type of Fuel	Quantity lit/hr	UoM
1	D.G. Set (62.5 KVA)	3.0	Diesel	7.0 lit/hr	Lit/hr

2. The applicant shall provide stack height of 3.0 mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup>
--------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

5. Conditions for D.G. Set

- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust fan with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/ room and then average.
- Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- D.G. Set shall be operated only in case of power failure.
- The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

*Prakash*  
Principal

E.S.M.S. Ayurved Mahavidyalaya,  
Kanchanwadi, Aurangabad.



M.S. Ayurved Mahavidyalaya, Aurangabad - B.O. - Aurangabad-I/H/R/S/29335000

*Prakash*



**Schedule-III**

**Treatment and Disposal of Biomedical Waste generated from Hospital to CBMWTSDF**

The authorisation is granted for generation and disposal of Bio-Medical Waste (BMW) to CBMWTSDF in waste categories and quantities listed here in below :

Sr. No.	Category	Description	Quantity not to exceed (Kg/M)	Segregation Colour coding	Treatment & Disposal
1	Cat-1	Human Anatomical waste	20.0	Yellow	Incineration
3	Cat-4	Waste Sharps	15.0	Blue / white translucent	Disinfection (chemical treatment) and mutilation / shredding
4	Cat-6	Soiled Waste	15.0	Yellow	Incineration
5	Cat-7	Solid Waste	20.0	Red	Disinfection (chemical treatment) autoclaving / and mutilation / shredding shall be handed over to CBMWTSDF operator

No onsite treatment of BMW is permitted. The above mentioned Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorised by MPCB i.e. M/s. Water Grace Product, CBMWTSDF, Aurangabad

Maharashtra Pollution Control Board

*[Handwritten Signature]*



*[Handwritten Signature]*

Principal

C.S.M.S.S. Ayurved Mahavidyalaya,  
Kanchanwadi, Aurangabad



**Schedule-IV : Bank Guarantees**

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by M/s. C.S.M.S.S. Ayurved Mahavidyalaya and-Rugnalya, Aurangabad

Sr. No.	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
<b>I (A)</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Rule	Continuous	50,000/-
2	Operation and Maintenance of combined waste water treatment plant to achieve prescribed discharged standards	Continuous	50,000/-
<b>I (B)</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31 <sup>st</sup> January	Continuous	25,000/-
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	25,000/-
<b>II</b>	<b>Performance</b>		
1	To provide Separate BMW storage facility As per guidelines of CPCB	Six	50,000/-
		<b>Total</b>	<b>2,00,000/-</b>

Rupees Two Lakh only

Note: You shall submit the above B.G. valid upto the validity of the said CCA + 4 months additional

*Seshmen*  
Principal

C.S.M.S.S. Ayurved Mahavidyalaya,  
Kanchanwadi, Aurangabad.



**Schedule-V**  
**General Conditions**

**The following general conditions shall apply as per the type of the industry**

- 1) You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly.
- 3) You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) You shall submit to this office, the 30<sup>th</sup> day of September every year, the Environmental Statement Report for the financial year ending 31<sup>st</sup> March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
- 10) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).
- 11) You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website ([www.mpcb.gov.in](http://www.mpcb.gov.in)).
- 12) You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designated and provided collection system.
- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.

Principal



- 15) You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 16) You should not cause any nuisance in surrounding area.
- 17) You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 18) You shall maintain good housekeeping.
- 19) You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end.
- 20) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 21) You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 22) You shall submit quarterly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
- 23) You shall submit official e-mail address and any change will be duly informed to the MPCB.
- 24) You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.
- 25) You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

-----0000-----

Maharashtra Pollution Control Board



Principal  
C.S.M.S.S. Ayurved Mahavidyalaya,  
Kanchanwadi, Aurangabad.





**WATERGRACE PRODUCTS  
COMMON BIO-MEDICAL WASTE MANAGEMENT PROJECT  
WITH AURANGABAD MUNICIPAL CORPORATION**

Invoice Date: 31.12.2019  
Invoice No: 7924

**INVOICE**

for the Month of December-2019

Hospital Name	AYURVEDIC COLLEGE RUGHAGALAY	Bill No	7924
Doctor Name	DR. ANIL KUMAR BURALE	Bill Date	31.12.2019
Hospital Address	KANCHANWADI PAITHAN ROAD, AURANGABAD	Index No	288894
Period	01.12.2019 to 31.12.2019	Dist No.	
Beds Strength	Rate	Amount (INR)	
120	Monthly Service Charges	Rs. 20013.50	
	5.38 per day/bed		
	Previous Balance	Rs. 0.00	
	<b>Total Payable Amount</b>	<b>Rs. 20014.00</b>	

**Rs. Twenty Thousand Fourteen Only**

The above bill amount should be paid to the Watergrace Products before 10th of every month, otherwise non-payment of the bill will be kept for action as deemed necessary.

*Dr. Anil Kumar Burale*  
31/12/2019

For Watergrace Products  
Authorized Signatory

**Notes:**

- \* This bill is being sent to you only for your information. Non receipt of this bill is not an acceptable excuse for non-payment of the bill.
- \* It is mandatory to inform Health Department, Aurangabad Municipal Corporation every year renewal record for your hospital registration.
- \* It is mandatory to registered your health care unit with Maharashtra Pollution Control Board
- \* Any increase in the beds strength is to be immediately informed to this department.
- \* Non-payment of this bill will render you to action under the existing Bio-Medical Waste Disposal rules and Mumbai Provincial Municipal Corporation Act-1949 sub-section.
- \* Please do not make payment in cash.
- \* Please Make Payment In favour of Watergrace Product. Cheque/NEFT.

Payment Mode : Cheque ( Cheque No : 055444, Bank Name : neft )

Last Payment Received : 20/12/2019 15:38:40 Rs. 19368.00

Service provided by	Watergrace Products
GST No:	27AGKP89508822R
GST Exemption Notification	Heading 9994

**Address : GEVRAI TANDA, PATODA SHIVAR, PAITHAN ROAD, AURANGABAD, 431001**

visit us on - [www.watergrace.com](http://www.watergrace.com)

Complaint No. 8600992072, 7020422416 E-mail: [helpdesk@watergrace.com](mailto:helpdesk@watergrace.com)

Whatsapp Complaint No: +91 9158795472

**Note:**

We request you to please update your contact info and activate your online account on our web portal please visit <http://www.watergrace.com> (by using index no mentioned on your invoice) Help Line No: 8600992072, 7020422416

*AM*  
21/12/20



*Dr. Anil Kumar Burale*  
Principal  
C.S.M.S.S. Ayurved Mahavidyalaya,  
Kanchanwadi, Aurangabad.



WATERGRACE PRODUCTS  
COMMON BIO MEDICAL WASTE MANAGEMENT PROJECT  
WITH AURANGABAD MUNICIPAL CORPORATION

Original Copy  
Print Date: 01.12.2019

INVOICE

For the Month of December 2019

Hospital Name	CHHATRAPATI SHAHI MAHARAJ SPECIULTY HOSPITAL	SR No	7992
Doctor Name	DR. SHRIKANT G. DESHMUKH	SR Date	31.12.2019
Hospital Address	RANCHANWADI PAITHAN ROAD AURANGABAD	Index No.	230863
Period	01.12.2019 to 31.12.2019	Get No.	-
Beds Strength	Rate	Amount (INR)	
100	Monthly Service Charges: 3.38 per day/bed	Rs. 16678.00	
		Previous Balance	Rs. 0.00
		Total Payable Amount	Rs. 16678.00

Rs. Sixteen Thousand Six Hundred Seventy-Eight Only

The above bill amount should be paid to the Watergrace Products before 10th of every month. Otherwise non-payment of the bill will be liable for action as deemed necessary.

*Shrikanth G. Deshmukh*  
01/01/2020 2020

For Watergrace Products  
Authorized Signatory

Notes:

- \* This bill is being sent to you only for your information. Non receipt of this bill is not an acceptable excuse for non payment of the bill.
- \* It is mandatory to inform Health Department, Aurangabad Municipal Corporation every year/renewed record for your hospital registration.
- \* It is mandatory to registered your health care unit with Maharashtra Pollution Control Board.
- \* Any increase in the beds strength is to be immediately informed to the department.
- \* Non payment of this bill will render you to action under the existing Bio Medical Waste Disposal rules and Mumbai Provincial Municipal Corporation Act 1949 Sub-section.
- \* Please do not make payment in cash.
- \* Please Make Payment In Favour of Watergrace Product, Cheque/NEFT

Payment Mode : Cheque / Cheque No : 525222, Bank Name : neft

Last Payment Received :	20/12/2019 15:39:44	Rs. 16140.00
Service provided by	Watergrace Product	
GST No.	27AGKP89508822R	
GST Exemption Notification	Heading 9994	

Address : GEVRAI TANDA, PATODA SHIVAR, PAITHAN ROAD, AURANGABAD, 431001

visit us on - [www.watergrace.com](http://www.watergrace.com)

Complaint No : 8600992072 , 7030622416 E-mail : [helpdesk@watergrace.com](mailto:helpdesk@watergrace.com)

Whatsapp Complaint No : +91 9156795472

Note:

We request you to please update your contact info and activate your online account on our web portal please visit <http://www.watergrace.com> by using the text no mentioned in your special Help Line No : +91 8600992072 , 7030622416



CSM.S.S. Ayurved Mahavidyalaya,  
Ranchanwadi, Aurangabad.



WATERGRACE PRODUCTS  
COMMON BIO MEDICAL WASTE MANAGEMENT PROJECT  
WITH AURANGABAD MUNICIPAL CORPORATION

Original Copy  
Print Date: 31.12.2019

INVOICE

for the Month of December 2019

Hospital Name	CHHATRAPATI SHAHU MAHARAJ SPECIETY HOSPITAL	BE No	7992
Doctor Name	DR. SHRIKANT G. DESHMUKH	Bill Date	31.12.2019
Hospital Address	KANCHANWADI PAITHAN ROAD AURANGABAD	Index No.	230863
Period	01.12.2019 To 31.12.2019	Gal No.	-
Beds Strength	Rate	Amount (INR)	
100	Monthly Service Charges 5.35 per day/Bed	Rs. 16678.00	
Previous Balance		Rs. 0.00	
Total Payable Amount		Rs. 16678.00	

Rs. Sixteen Thousand Six Hundred Seventy-Eight Only

The above bill amount should be paid to the Watergrace Products before 10th of every month. Otherwise nonpayment of the bill will be liable for action as deemed necessary.

*Dr. Shrikant G. Deshmukh*  
31/12/2019

For Watergrace Products  
Authorized Signatory

Notes:

- \* This bill is being sent to you only for your information. Non receipt of this bill is not an acceptable excuse for non payment of the bill.
- \* It is mandatory to inform Health Department, Aurangabad Municipal Corporation every year renewal record for your hospital registration.
- \* It is mandatory to registered your health care unit with Maharashtra Pollution Control Board.
- \* Any increase in the beds strength is to be immediately informed to this department.
- \* Non payment of this bill will render you to action under the existing Bio Medical Waste Disposal rules and Mumbai Provincial Municipal Corporation Act 1947 Sub-section 1.
- \* Please do not make payment in cash.
- \* Please Make Payment in Favour of Watergrace Product, Cheque/NEFT

Payment Mode: Cheque | Cheque No: 525222, Bank Name: svt

Last Payment Received: 20/12/2019 15:38:44 Rs. 16140.00

Service provided by: Watergrace Producty  
GST No: 27AGKP89508823R  
GST Exemption Notification: Heading 9994

Address: GEVRAI TANDA, PATODA SHIVAR, PAITHAN ROAD, AURANGABAD. 431001

visit us on: [www.watergrace.com](http://www.watergrace.com)

Complaint No. 860092072, 7020622414 E-mail: [helpdesk@watergrace.com](mailto:helpdesk@watergrace.com)

WhatsApp Complaint No: +91 9158795472

Note:

We request you to please update your contact info and activate your online account on our web portal please visit <http://www.watergrace.com> by using index no mentioned in your invoice. Help Line No: +91 860092072, 7020622414



*Dr. Shrikant G. Deshmukh*  
C.S.M.S.S. Ayurved Mahavidyalaya,  
Kanchanwadi, Aurangabad.

*2/1/20*



# WATER GRACE PRODUCT'S

## BIO MEDICAL WASTE MANAGEMENT PROJECT

Survey No.122, Gevral Tandi, Patoda Shivar, Paithan road, Aurangabad. 431001

☎ : (0240) 2694454,

E-mail: watergrace2017@gmail.com

WGP/BMW/AMC/25/18

Date 25/07/2018


### CERTIFICATE

#### TO WHOM SO EVER IT MAY CONCERN

This is to certify that DR./Hospital: CHATRAPATI SHAHUMAHARAJ & AYURVEDIC COLLEGE & HOSPITAL, PAITHAN ROAD, AURANGABAD is (220) Beds registered member of our common Bio-Medical waste Management Treatment & Disposal Facility Since 2012 The Said Hospital/Clinic/Path-lab/Dental Clinic/Blood Banks is given BMW waste regularly for disposal as per M.P.C.B Norm.

This NOC is Valid up to 30 OCT-2018

For Water Grace Products:  
WATERGRACE PRODUCTS



Authorized Signatory

Authorized Signatory



*[Handwritten Signature]*  
Principal

C.M.S.S. Ayurved Mahavidyalaya,  
Paithan Road, Aurangabad.

Where Quality goes in before The name of MS-GBM.



PDF Created Using



# Camera Scanner

Easily Scan documents & Generate PDF



<https://play.google.com/store/apps/details?id=photo.pdf.maker>

छ.शा.म.शि.सं.  
आयुर्वेद महाविद्यालय व रुग्णालय  
कांचनवाडी, औरंगाबाद.

दिनांक-17/02/2016

जीव वैद्यकीय कचरा व्यवस्थापन व हाताळणी

केंद्र शासनाच्या राजपत्रात प्रसिध्द झालेल्या जीव वैद्यकीय कचरा (व्यवस्थापन व हाताळणी) नियम 1998 नुसार सदर कचऱ्याची नियमानुसार योग्य प्रकारे विल्हेवाट लावणे सर्वांना बंधनकारक आहे. सदर कामी नियोजन करण्याची पध्दत.

रंग	जीव-वैद्यकीय कचरा प्रकार
अ) पिवळा	1) मानवी शरीर अवयवांचा कचरा, पेशी, शरीराचे भाग, अवयव, वार 2) प्रार्णाजन्य कचरा 3) सूक्ष्मजीव शास्त्रीय व जैविक तंत्रज्ञानापासूनचा कचरा, प्रयोग शाळेतील निर्मितीसाठी या साठीचे सूक्ष्म जीव व पेशी यांचे नमुने 4) घन कचरा (रक्ताने उत्सर्जित पदार्थांनी दुपीत असलेले साहित्य उदा. कापूस, मलमपट्टा, प्लास्टर, कपडे.इत्यादी.) 5) ओला आणि सुका कचरा वेगवेगळा देणे बंधनकारक आहे.
ब) लाल	1) घन कचरा (प्लास्टिक वस्तू) घार नसलेल्या वापरन टाकून छावयाच्या वस्तू (प्लास्टिकच्या सलाईनच्या बाटल्या, कॅबेटर, रबरटयुब, हातमोजे इत्यादी)
क) निळा	1) धारदार जीव कचरा (निरुपयोगी चाकू, ब्लेड, चिमटा, काच सामान इत्यादी.)



*[Signature]*  
Principal  
C.S.M.S.S. Ayurved Mahavidyalaya,  
Kancharwadi, Aurangabad.

## TAX INVOICE

**NEEL OPERATIONS**

G3,A9 ,Aurangabad Coop Indl Estate,  
MIDC Station Road,  
Aurangabad-431005( MS)  
Email services@neeloperations.com  
Web : www.neeloperations.com  
Phone :0240 2344625/3204501  
Mobile : 9326082892

Invoice no 1516169  
Date 19-03-2016  
D C NO 1516205  
Date 19.03.2016  
P.O.No. AMA/15-16-00312  
P.O. Date 13.01.2016

**Buyer**

**CHHATRAPATI SHAHU MAHARAJ SHIKSHAN SANTHA**  
Ayurved Mahavidyalaya,  
Kachanwadi,Paithan Road, Aurangabad- 431002

Sr No	Description	QTY	PRICE	AMT Rs
1	Sewage Treatment Plant 50 cum/Day	1	500000	500000

Sub Total 500000

Taxes MVAT @ 12.50% 62500

Total- Rs 562500

**Rs. Five Lac Sixty Two Thousand Five Hundred only**

VAT TIN NO 27180519672 V  
CST NO 27180519672 C  
SERVICE TAX NO AAIPN3775DSD002  
SERVICE CATEGORY MAINTENANCE & REPAIR  
PAN NO AAIPN3775D

*CR No. 456*  
*31/3/2016*

**Store Keeper**

**C.S.M.S.S. Ayurved Mahavidyalaya**  
Kachanwadi, Aurangabad

I/We hereby certify that my/our registration certificate under the maharashtra value added tax act 2002 is in force on the date on which the sale of the goods specified in this tax invoice is made by me/us and that the transaction of the sale covered by this tax invoice has been effected by me /us and it shall be accounted for in the turnover of sale while filing the return and the due tax ,if any payable on the sale has been paid or shall be paid.

Subject to Aurangabd Jurisdiction.



*Ashwini*  
Proprietor

*Principal*  
C.S.M.S.S. Ayurved Mahavidyalaya  
Kachanwadi, Aurangabad.

# CHHATRAPATI SHAHU MAHARAJ SHIKSHAN SANSTHA

## Ayurved Mahavidyalaya

Kanchanwadi, Paithan Road Dist : Aurangabad (M.S.) 431 002

Tele : (0240) 6646464, 2379035, 2379248, Fax : (0240) 2379355, 6646222, Email : purchase@csms.org

### PURCHASE ORDER

To,  
NEEL OPERATIONS  
G3, A9, AURANGABAD COOP  
INDUSTRIAL ESTATE, MIDC  
RAILWAY STATION, AURANGABAD  
Ph : 0240-3204501 Fax : 0240-2344646  
Budget Head : HOSPITAL EQUIPMENTS

P.O. No : **AMA/15-16/00312**  
P.O. Date : 13/01/2016  
P.O. Type : Capital Expenses  
Party Reference :  
Vendor Code : **N0027**

Please supply the following material as per the conditions mentioned below.

Sr	IC	Material Description	Unit	Quantity	Rate (Rs)	Disc %	P&F %	VAT %	Basic Value (Rs)
1	6379	SEWAGE TREATMENT PLANT 50CUM PER DAY BASED ON MBBR TECHNOLOGY WITH OZONATOR TOTAL GREEN TECHNOLOGY NO CHEMICAL WILL BE USED FOR THE PROCESS REF-1516086/STP/2015-16 DATE- 12.01.2016	SET	1.000	500000.0000	0.00	0.00	12.50	5,00,000.00

#### Terms & Conditions

- 1) Delivery Period : 4 Weeks after confirmed by the client.
- 2) Penalty : NIL
- 3) Payment Terms : 40% advance , 30% against Proforma Invoice & Balance after delivery and verification of material
- 4) Other : Free Installation

After the stipulated period, acceptance of material is discretionary on the part of sanstha or any colleges of sanstha



Prepared By

Total	5,00,000.00
VAT Applicable Amount	5,00,000.00
Add : Sales Tax	62,500.00
<b>Grand Total</b>	<b>5,62,500.00</b>

In Words : Rupees Five Lakhs Two Thousand Five Hundred Only

For C.S.M.S.S. AYURVED MAHAVIDYALAYA

Purchase Officer

Finance Officer

Administrative Officer

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701  
Fax: 24024068 /24023515  
Website: <http://mpcb.gov.in>  
E-mail: [mpcb@vsnl.net](mailto:mpcb@vsnl.net)



Kalpataru Point, 2<sup>nd</sup> - 4<sup>th</sup> Floor,  
Opp. Cine Planet Cinema,  
Near Sion Circle, Sion (E)  
Mumbai - 400 022

Red/LSI

Consent No: Format 1.0/BO/PSO/HOD- 17/2000515

Date: 13/12/2017

To,  
M/s. C S M S S Ayurved Mahavidyalaya & Rugnalaya,  
Kanchanwadi, Paithan Road,  
Aurangabad - 431002.  
e-mail : [hr@csms.org](mailto:hr@csms.org)

**Sub :** Combined Consent to Operate and BMW Authorization under RED category to Health Care Establishment (HCE).

**Ref :** 1. Your BMW authorization & Consent application received to MPCB, HQ, Sion, Mumbai on 19/06/2017.  
2. This office email on 29/08/2017.  
3. Your reply vide email dated 21/09/2017.  
4. SRO Aurangabad-I reply vide e-mail on 13/07/2017.  
5. Minutes of 6<sup>th</sup> CC meeting dated 26/09/2017.  
6. Your reply dated 23/10/2017.

## Combined Consent to Operate-Renewal

under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 and Biomedical Waste Management Rules 2016, as amended is considered and the consent is hereby granted subject to following terms and conditions and as detailed in the schedule I, II, III, IV & V annexed to this order:

1. The consent to operate is granted for a period from 31.01.2017 to 31.01.2020.
2. The capital investment of the HCE is Rs. 2.21 Cr.  
(C. A. Certificate submitted by the applicant)

The Consent is valid for the Activity of -

Sr. No.	Activity	Beds
1	Hospital	
	a) Beds	200 Nos.
	b) Total Plot Area	2000 sq. mtrs
	c) Total Built up Area	1903sq. mtrs

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	Nil	N.A.	N.A.
2.	Domestic effluent	32	As per Schedule -I	Municipal Sewer



S.M.S.S. Ayurved Mahavidyalaya  
Kanchanwadi, Aurangabad.

5. Conditions under CPCQ (Part IV) 1981 for air emissions

Sr. No.	Description of stack / SOURCE	Number of Stack	standards to be achieved
1	D.G. Set (623 KVA.)	1 nos.	

6. Non-Hazardous Solid Wastes

Sr. No.	Type of Waste	Quantity	COM	Treatment
1	Sludge from Sewage Water treatment	10000 kg	MT/Year	

7. This Board reserves the right to suspend, amend, suspend, or cancel this order if the applicant fails to comply with the conditions of this order.

8. The applicant shall maintain records of the waste generated and disposed of, and shall submit a copy of such records to the Board on a quarterly basis.

9. The applicant shall ensure that the waste is disposed of in a safe and sound manner, and shall not cause any nuisance or annoyance to the surrounding area.

10. The applicant shall comply with the provisions of the Environmental Protection Act, 1986, and the rules made thereunder, and shall also comply with the provisions of the Hazardous Waste Management and Handling Rules, 1989, and the Environmental Protection Act, 1986, and the rules made thereunder, and shall also comply with the provisions of the Hazardous Waste Management and Handling Rules, 1989, and the Environmental Protection Act, 1986, and the rules made thereunder.

11. Any unauthorized change in the nature or working conditions as mentioned in this application by the person or persons shall constitute a breach of this authorization.

12. The applicant shall ensure that the waste is disposed of in a safe and sound manner, and shall not cause any nuisance or annoyance to the surrounding area.

13. The applicant shall ensure that the waste is disposed of in a safe and sound manner, and shall not cause any nuisance or annoyance to the surrounding area.

14. The applicant shall ensure that the waste is disposed of in a safe and sound manner, and shall not cause any nuisance or annoyance to the surrounding area.

15. The applicant shall ensure that the waste is disposed of in a safe and sound manner, and shall not cause any nuisance or annoyance to the surrounding area.

16. The applicant shall ensure that the waste is disposed of in a safe and sound manner, and shall not cause any nuisance or annoyance to the surrounding area.

17. The applicant shall ensure that the waste is disposed of in a safe and sound manner, and shall not cause any nuisance or annoyance to the surrounding area.

18. The applicant shall ensure that the waste is disposed of in a safe and sound manner, and shall not cause any nuisance or annoyance to the surrounding area.

19. The applicant shall ensure that the waste is disposed of in a safe and sound manner, and shall not cause any nuisance or annoyance to the surrounding area.

- (vii) You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
- (viii) You shall maintain day to day basis record and display the monthly record including annual report on its website within two years from the date of notification.
- (ix) You shall submit BMW Annual report to the prescribed authority in Form-IV by 30<sup>th</sup> June of every year including information about the categories and quantities of BMW handled during the preceding year.
- (x) All records shall be subject to inspection and verification by the prescribed authority at any time.
- (ix) From the earlier BG of Rs. 2.0 Lakh, BG of Rs. 50,000 is eligible for release. BG towards continuous performance i.e. 1.50 Lakh to be continued for a period of CCA.
- (x) Therefore, existing bank guarantee of Rs. 2.0 Lakh is eligible for release upon submission of separate Bank Guarantee of Rs. 1.50 lakhs towards compliance of condition mentioned at Annexure - IV to Regional Office, Aurangabad within 30 days.
- (x) You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Aurangabad for verification purpose.
- (xi) You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.



For and on behalf of the  
Maharashtra Pollution Control Board

*(Signature)*  
(P.K.Mirashe)  
Member Secretary

Received Consent / Authorization fee of -

*(Signature)*  
Principal  
C.S.M.S.S. Ayurved Mahavidyalaya  
Aurangabad, Aurangabad.

Sr. No.	Amount (₹)	Transaction no.	Date
1	45,000/-	TXN1701000038	02.01.2017
2	15,000/-	TXN1704002708	20.04.2017
3	1,500/-	TXN175000268	03.05.2017

Copy to:

1. Regional Officer - MPCB, Aurangabad and Sub -Regional Officer - Aurangabad -I, MPCB - They are directed to ensure the compliance of the CCA conditions.
2. Chief Accounts Officer, MPCB, Mumbai- for information.

**Schedule I**

**D Terms & Conditions for compliance of Water Pollution Control**

- D) A)** You shall provide combined waste water primary treatment for the Trade effluent and domestic sewage generated from the hospital and thereafter the treated effluent shall be discharged in to Sewage Treatment Plant with the adequate design capacity for the effluent treatment and the treated water shall be discharged to Municipal Sewerage Treatment Plant after following standard prescribed below.
- B)** The Applicant shall provide the combined waste water treatment plant to treat the trade and domestic effluent with appropriate capacity and design as per the Rules and Regulations, 1986 and Regulations, 1987 and 1988 and 1989 in the whatever is applicable.

Sl. No.	Parameter	Limiting Concentration
01	pH	6.5 to 8.5
02	Oil & Grease	100 mg/l
03	BOD <sub>5</sub> (at 20°C)	100 mg/l
04	COD	1000 mg/l
05	TSS	100 mg/l
06	SO <sub>4</sub>	1000 mg/l
07	Biological Oxygen Demand	100 mg/l

- 2) The Applicant shall provide the effluent treatment plant with the capacity to treat the effluent generated from the hospital and thereafter the treated effluent shall be discharged in to Sewage Treatment Plant with the adequate design capacity for the effluent treatment and the treated water shall be discharged to Municipal Sewerage Treatment Plant after following standard prescribed below.
- 3) The Applicant shall provide the effluent treatment plant with the capacity to treat the effluent generated from the hospital and thereafter the treated effluent shall be discharged in to Sewage Treatment Plant with the adequate design capacity for the effluent treatment and the treated water shall be discharged to Municipal Sewerage Treatment Plant after following standard prescribed below.
- 4) You shall provide specific Water Pollution control system as per the conditions of the effluent treatment plant and discharge the effluent in to the sewerage line.

**D) Conditions under Water (Prevention & Control of Pollution) Act, 1974**

The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and its amendments, by installing water pollution control system in the hospital premises and discharging the effluent in the sewerage line.



## Schedule-II

### Terms & conditions for compliance of Air Pollution Control

1. As per your application, you have proposed / provided the Air pollution control (APC) system and also proposed to erect/erected following stack (s) to observe the following fuel pattern-

Sr. No.	Stack Attached to	Height in meter	Type of Fuel	Quantity lit/hr
I	D.G. Set (62.5 KVA)	3.0	Diesel	7.0

2. The applicant shall provide stack of adequate and operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup>
--------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

5. Conditions for D.G. Set

- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- D.G. Set shall be operated only in case of power failure.
- The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.



*Rushmi*  
I/c Principal  
C.S.M.S.S. Ayurved Mahavidyalaya  
Kanchanwadi, Aurangabad

Sr. No.	Purpose for water consumed	
1.	Industrial Cooling and boiler feed etc.	NE
2.	Domestic purpose	45
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	—
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable	—
5.	Other such as agriculture	—

Maharashtra Pollution Control Board


**Schedule-III**


**Treatment and Disposal of Biomedical Waste generated from Hospital to CBMWTSDF**

The authorisation is granted for generation and disposal of Bio-Medical Waste (BMW) to CBMWTSDF in waste categories and quantities listed here in below :

Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	50.0	Yellow coloured non-chlorinated plastic bags	No onsite treatment of BMW is permitted. The above mentioned Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorised by MPCB. i.e. M/s. Watergrace Product, CBMWTSDF, Aurangabad.
		b) Animal Anatomical Waste	--		
		c) Soiled Waste	100.0		
		d) Expired or Discarded Medicines	25.0		
		e) Chemical Waste	--	Separate collection system leading to effluent treatment system	
		f) Chemical Liquid Waste	--		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	25.0	Yellow coloured non-chlorinated plastic bags or suitable packing material	
h) Microbiology Biotechnology and other clinical laboratory waste	25.0	Autoclave safe plastic bags or containers			
2	Red	Contaminated waste (Recyclable)	100.0	Red coloured non chlorinated plastic bags or containers	
3	White (Translucent)	Waste sharps including Metals	25.0	Puncture proof, Leak proof, tamper proof container	
4	Blue	a) Glassware	10.0	Cardboard boxes with Blue colored marking	
		b) Metallic body implants	10.0		



  
 ...pal  
 S.M.S.S. Ayurved Mahavidyalaya  
 Kanchanwadi, Aurangabad.



**Statement of Compliance and Bank Guarantee**

Statement of compliance with the conditions and Bank Guarantee imposed to ensure timely compliance to be submitted by **M/s. C S M S S Ayurved Mahavidyalaya & Rughalaya, Aurangabad.**

Sr. No.	Activity to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1(A)	Operational		
11	To maintain the effluent treatment plant with water treatment as prescribed discharged standards.		5.00 Lakhs
12	To maintain the effluent treatment plant with water treatment as prescribed discharged standards.		5.00 Lakhs
13	To maintain the effluent treatment plant with water treatment as prescribed discharged standards.		5.00 Lakhs
14	To maintain the effluent treatment plant with water treatment as prescribed discharged standards.		5.00 Lakhs
15	To maintain the effluent treatment plant with water treatment as prescribed discharged standards.		5.00 Lakhs
16	To maintain the effluent treatment plant with water treatment as prescribed discharged standards.		5.00 Lakhs
17	To maintain the effluent treatment plant with water treatment as prescribed discharged standards.		5.00 Lakhs
18	To maintain the effluent treatment plant with water treatment as prescribed discharged standards.		5.00 Lakhs
19	To maintain the effluent treatment plant with water treatment as prescribed discharged standards.		5.00 Lakhs
20	To maintain the effluent treatment plant with water treatment as prescribed discharged standards.		5.00 Lakhs
21	To maintain the effluent treatment plant with water treatment as prescribed discharged standards.		5.00 Lakhs

**MAHARASHTRA GOVERNMENT**

**Schedule-V**  
**General Conditions**

The following general conditions shall apply as per the type of the industry

- 1) You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly.
- 3) You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) You shall submit, the Environmental Statement Report for the financial year ending 31<sup>st</sup> March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, Aurangabad, the 30<sup>th</sup> day of September every year.
- 7) You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- Aurangabad as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
- 10) You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website ([www.mpcb.gov.in](http://www.mpcb.gov.in)).
- 11) You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition under Environment Protection.



12) Separate drainage system shall be provided for collection of trade and sewage effluent. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

13) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.

14) You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

15) You shall not cause any nuisance in surrounding area.

16) You shall take adequate measures for control of noise levels from the plant within the premises so as to maintain a limit of 75 dB (A) during the day and 70 dB (A) during the night. Day and night noise limit is defined as 6 a.m. and 10 p.m. and night time is a period between 10 p.m. and 6 a.m.

17) You shall maintain good housekeeping.

18) You shall bring minimum 3% of the available open land under green spaces. The green spaces shall contain a minimum of 100 trees of different species and every year an available area of 1000 sq. m. of land shall be reserved for planting of trees and number of trees planted by September end.

19) The non-hazardous solid waste arising in the factory premises shall be disposed off scientifically so as not to cause any adverse pollution. The disposal shall be as per the permissions from civic authorities for disposal of solid waste.


20) You shall not discharge or store any effluent, slurry, effluent or hazardous waste in the middle of the effluent course or hazardous wastes or other effluent discharge, without previous written permission of the Board. You will not carry out any activity for on the effluent course without the written permission of the Board.

21) You shall comply with statutory provisions in respect of pollution control devices and equipment. All equipment shall be supplied with documentary evidence (Formal Certificate) of compliance with the statutory provisions.

22) You shall provide an official e-mail address and any change will be duly informed to the MPCB, Bhopal.

23) You shall achieve the National Ambient Air Quality standards prescribed vide Government of India Notification dt: 16.11.2009 as amended.

24) You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste Management and Handling Rules 2001, as amended.





# Watergrace Products

COMMON BIO-MEDICAL WASTE MANAGEMENT AND TREATMENT FACILITY  
AURANGABAD

SURVE NO-122, GEVRAI TANDA, PATODA SHIVAR, PAITHAN ROAD, AURANGABAD

Ref: W/2/BMW/RBD/AMC/09/2019/104560

Date: 30/12 / 2019

## CERTIFICATE

TO WHOM SO EVER IT MAY CONCERN

*This is to certify that, C.S.M.S.S Speciality Hospital of Research center, Kanchanwadi, Paithan Road, Aurangabad is (100) Beds registered member of our common Biomedical Waste Management Collection Transportation Treatment & Disposal Facility Aurangabad since 2013 The Said Hospital/Dispensary/ Dental Clinic/Pathology Lab/ Blood Bank/ Edu. Inst./Veterinary Clinic/Med. Research Centers/Other Institutes etc. is giving us Biomedical Waste for disposal as per the Maharashtra Pollution Control Board (MPCB) Rules.*

*This NDC is valid up to: - 31<sup>st</sup> March 2020*

For Watergrace Products Aurangabad



Authorized Signatory

*Dohin*

Principal  
C.S.M.S.S. Agrawal Polyclinic  
Kanchanwadi, Aurangabad

