

CSMSS

Ayurved Mahavidyalaya & Rugnalaya



Kanchanwadi, Aurangabad

1) RaktaMokshan:-

Requirement

- a) Manpower- Respective Consultant.
- -Trained P.G Scholar (1)
- -Trained Staff Nurse. (1)
- Class IV worker (1)
- b) Material -

For Siravedh:- 16 No. Needle IV set ,Kidney tray, Spirit swab ,Paper sticking. Jalaukavcharan:- Jalauka, Haridra, Bowl with Water, triphala churna, Needle, Dressing material.

Prachhanna: blade, needle.

Preoperative -

- 1. Counselling
- 2. Written Concent
- 3. Part Preparation
- 4. Snigdha picchil Annapan Prior to procedure
- 5. The Site of Raktamoksha is washed with triphala quath & wiped with dry sterilized gauze. & covered with a hole sheet
- 6. Haridra charna kept ready for dressing.

Operative:-

Prachhanna- Part should be tied with tourniquet to dilate vessels. Then with securing marma superfacial incision are given parallel to local blood vessels .By this superficial Doshas are removed & relieve tension on that part.

Siravedh:- Vein is selected according to the disease and blood lenting done with pressure effect. decide amount of blood to be drained

Jalaukavcharan- Decide part & no. of jalauka, if jalauka not start to suck then small pricks are given around diseased part & then jalauka start sucking. It's mouth takes the shape of horse's hoof & lifts it's neck then cover its neck with wet gauze when jalauka suckes enough blood. it leaves that spot & if doesn't leave, turmeric powder is sprinkled around the mouth.

Post OP: Remove tourniquet & Tight dressing applied.

Safety Precaution:-

Material: sterilization of Instruments & line checked periodically.

Patient- Part preparation, Instruction to patient about post OP care

Principal
C.S.M.S.S. Ayurved Mahavidyalaya,
Kanchanwadi, Aurangabad.





CSMSS Ayurved Mahavidyalaya & Rugnalaya

Kanchanwadi, Aurangabad

Procedure: blood lenthing should not more than 60 ml.

Emergency Management: Management of Hypovolemic shock.

2) Agnikarma:

Requirement-

a) Manpower- Respective consultant

P.G scholar

Trained staff nurse

One class IV worker

b) Material- Agnikarma shalaka, haridra, triphalachurn, ghrutkumari jel (fresh), madhu + sarpi, dressing material.

· Pre -operative:-

Counseling

Written Concent

Part Preparation

Snigdha picchil Annapan Prior to procedure

The Site of Agnikarma is washed with triphala quath & wiped with dry sterilized gauze & covered with a hole sheet

Shalaka is heated up to red hot ghrutkumari pulp &Haridra churna kept ready for dressing.

Operative:-

- 1) Patient is advised to give suitable position according to the different condition
- 2) Painting & draping is done.
- 3) Respective of specific site, Agnikarma is done at maximum tender site.
- 4) Minimum some space is kept beetwin two Agnikarma points to avoid overlapping of dagdhavrna
- 5) After Agnikarma, fresh ghrutkumari pulp is applied on dagdhavran to relive burning pain

post operative:

- 1) Rest to the part atleast 30 Min. after procedure.
- 2) After wiping of gruthkumari pulp honey & ghee applied on dagdhavran
- 3) After that dusting of haridra churna done.

Principal
C.S.M.S.S. Ayurved Mahavidyalaya,
Kanchanwadi, Aurangabad.



CSMSS

Ayurved Mahavidyalaya & Rugnalaya



Kanchanwadi, Aurangabad

- 4) Patient is observed for 30 min. after that advised pathyapathya of dagdhavran
- 5) Patient are strictly advised not to allow water contact at dagdhavran site for 24 hr.

Safely Precaution:-

Regarding Material – Sterilization of instrument linen is checked periodically

Regarding Patients-

- Part preparation is must to prevent infection
- Instruction to patients regarding pathyapathya of Aharvihar

Regarding Procedure: Care is taken to prevent excessive burn during procedure Emergency Management: Inform about any problem to on duty PG. PG will inform to consultant.

3) Ksharkarma:-

Requirment -

- a) Manpower- Respective consultant
- -Trained PG scholar
 - -Trained staff nurse
 - One class IV worker.
- b) Material- Ksharpratisaran: kshar (Apamarga, Chitrak, Palash.)

Scoop, Lemon Juice, Xylocain jelly 2 %., Jatyadi tail / Ropan tail.

Ksharsutra: kshar (Apamarga, Chitrak, Palash.) Ksheer (Fresh Latex of Snuhi/Arka/Papaya/ Udumbar) Haridra churna, Barbour Linen thread 20 No., 40 No. Xylocain jelly 2 %.Probe, Artery Forcep, Suture Cutting Sizzer, Dressing Material, Jatyadi tail / Ropan tail / Kshartail.

Pre- operative:-

Counseling done

Written consent

Part Preparation

Physician's Consent for GA if needed

Instruments checked and trolley is prepared

Operative:- Position suitable according to condition and anaesthesia

Painting and drapping done.

Principal

C.S.M.S.S. Ayurved Mahavidyalaya, Kanchanwadi, Aurangabad.

Seshmener



CSMSS

Ayurved Mahavidyalaya & Rugnalaya



Kanchanwadi, Aurangabad

For Ksharsutra: probe inserted through ext. opening and moved out from anal canal with the help of left hand index finger

Ksharsutra mounted on eye of probe and thread moved out of anus tie knot of both the ends reasonable tight to the tract . dressing done.

Ksharpratisaran: Use scoop for application of exact amount of Kshar .wait for 100 matras count then apply lemon juice. To wash kshar

Post Operative: patient shifted to recovery room

Watch for soakage

Watch for color of site where pratisaran done.

Advice Triphala quath avagaha BD

Jatyadi tail pichhoo

Triphala Guggul 2-----2.

Safety precaution.

Regarding Materia: I- Sterilization of instruments

linen checked periodically

ksharsutra kept ready

Regarding Patients: part preparation, bowel evacuation should proper done avoid excessive sitting, follow up after 7 days

Regarding Procedure-Care taken while probing care taken while application of kshar

Emergency management:

Regarding Anaesthesia complications.

PG. scholar should informed to concern

consultant for suitable management.

Principal

C.S.M.S.S. Ayurved Mahavidyalaya, Kanchanwadi, Aurangabad.