

Kanchanwadi, Aurangabad



Prasuti Tantra Streerog Department

Pre-Operative SOP's -

- Written Consent of patient and relatives
- Nill By mouth from mid night
- Preparation of the part
- Soap Water Enema
- Inj. Xylocaine (2%) Sencsitivity Test
- Inj. Taxim 1 gm BD
- Inj. Genta 80 mg BD
- Inj Metrogyle 500mg TDS
- Watch for FHS (If ANC)
- Watch for TPR /BP
- Inform SOS

WAHAVIOAN * OBBOTO *



Kanchanwadi, Aurangabad



Prasuti Tantra Streerog Department

Post-Operative SOP's

- Head low Position (If Spinal Anesthesia Given)
- Neck Raised in Left or Right Lateral position (If GA)
- NBM
- IV DNS 2 Unit
- IV RL 2 Unit with Pitocin 20 IU
- IV D5 % 1 Unit
- Inj. Taxim 1 gm BD IV
- Inj. Genta 80mg BD IV
- Inj. Metrogyl 500 mg TDS
- Inj. Dynapar SOS
- Inj. Emset SOS
- Inj. Pan D SoS
- Watch foe PV Bleeding
- Watch for TPR / BP
- Maintain Input output Chart
- Inform SOSO





Ayurved Mahavidyalaya & Rugnalaya

Kanchanwadi, Aurangabad



SOP'S of kalka Dharan:

Patient is received in Prasuti Tantra OPD. After checking of oxygen saturation & temperature at the entrance of hospital According to COVID situation.

- 1. General examination is done by Respective Consultant
- 2. Pt is registered in OPD register.
- 3. Consultant verifies the OPD case paper and write down her observation and treatment.
- 4. The procedure is done in OPD
- 5. Ask to patient to empty the bladder
- 6. Lithotomy position is given to the patient
- 7. Vulval toileting with betadin solution
- 8. P/S or P/V examination is done with all aseptic precaution
- 9. Drug (kalka) preparation is done According to diseases
- 10. After routine gynecological examination rule out nation any or PID all investigations should done
- 11. Snehan swedan
- 12. Local aseptic care
- 13. Sterile cloths is covered to abdomen
- 14. Medicated paste(Kalka) is covered with sterile gauze piece with thread
- 15. Tail or medicated ghee is used according to diseases
- 16. Medicated kalka is placed in to vagina
- 17. Give Instructions to the patient keep Kalka for 1 hrs to 2 hrs till the sensation of micturition
- 18. Remove the kalka by pulling the gauze thread
- 19. After the procedure ask to patient to lie in supine position for 10 min then allow to go.





Ayurved Mahavidyalaya & Rugnalaya

Kanchanwadi, Aurangabad



YONI PICHU

Definition- Dipping of a gauze piece in Taila or Ghrita and kept in vagina is called Yoni Pichu.

STANDARD OPERATING PROCEDURE

MATERIAL REQUIREMENT

- Sterile gloves
- Gauge piece
- Medicated oil/Ghrita
- Bowl

1) PURVA KARMA

- Take consent for the procedure and evaluate patient safety for before procedure as per pre procedure checklist
- Patient is advised to empty her bladder.
- Slightly warm Oil/Ghrita

2) PRADHANA KARMA

- Position-Dorsal position with thigh flexed.
- Sterile gauze piece will be dipped in medicated oil/Ghrita and then enter it in the vagina.






Kanchanwadi, Aurangabad



3) PASHCHATA KARMA

- The gauze piece should be removed after 2-3 hours or when patient feels urine sensation
- Post procedure evaluation should be written in patient's file





Principal

©:S:M.S:S: Ayurved Mahavidyalaya,

Kahéhanwadi, Aurangabadi



Kanchanwadi, Aurangabad



UTTARA BASTI

Uttara Basti is a procedure in which medicine in form of Taila/Ghrita is made to pass through Yoni in to Garbhasaya and through MutraMarga in to Mutrasata in female.

STANDARD OPERATING PROCEDURE

MATERIAL REQUIREMENT

- Sims speculum
- Anterior vaginal wall retractor
- Sponge holding forcep
- Vullselumforcep
- Uterine sound
- Uttara Basticanula
- Syringe
- Bowl
- Sterile gloves
- Gauze piece
- Cotton





CSMSS Ayurved Mahavidyalaya & Rugnalaya Kanchanwadi, Aurangabad



Oil/Ghrita

1) PURVA KARMA

- Take consent for the procedure and evaluate patient safety for before procedure as per pre procedure checklist Whole body Abhyanga with medicated oil (BalaTaila/ Narayana Tail) for 20 minutes.
- SarvangaBashpaSweda by Nirgundi Patra Kwatha for 10 minutes
- Yoni Prakshala with PanchavalkalaKwatha
- Prepare operation theatre trolley

2) PRADHANA KARMA

- Position-Lithotomy position
- Painting with antiseptic solution at vulva and vagina.
- Visualize cervix by using Sims speculum and anterior vaginal wall retractor.
- Catch the anterior lip of cervix by vullselumforcep.
- Determine length and position of uterus by uterine sound.
- Uttara Basticanula is introduced in the direction of uterine cavity, then 3/5 ml medicated Taila/Ghrita is injected with syringe from oyher side of canula
- Remove all instruments


STATED MAKALITA



Kanchanwadi, Aurangabad

3) PASHCHATA KARMA


- Patient is given head low position for 15 minutes
- Post procedure evaluation should be written in patient's file







Ayurved Mahavidyalaya & Rugnalaya





YONI PRAKSHALANA

This is the special procedure with which asepsis is produced. This can be correlated with irrigation of vagina or douche.

STANDARD OPERATING PROCEDURE

- > Material requirement
- Sterile gloves
- Gauge piece
- Cotton
- Kwatha
- Douche Can
- Rubber tube
- Vaginal nozzle
- Sponge holding forcep

1) PURVA KARMA

- Take consent for the procedure and evaluate patient safety for before procedure as per pre
- procedure checklist
- Patient is advised to empty her bladder.
- Prepare Kwatha

2) PRADHANA KARMA

- Position-Dorsal position with thigh flexed.
- Vaginal nozzle will be inserted in vagina without lubrication.
- Then slowly wash with 500 ml medicated Kwatha in clockwise and anticlockwise direction.

3) PASHCHATA KARMA

- Patient is advised to cough for expulsion of the remaining Kwatha from vagina.
- Clean the vulva and vagina with gauze piece
- Post procedure evaluation should be written in patient's file

AURANGISTO WAHAUNG WATER AURANGISTO WATE



Ayurved Mahavidyalaya & Rugnalaya



Kanchanwadi, Aurangabad

SOP'S of Yoni Dhawan:

- 1. Patient is received in Prasuti Tantra OPD. After checking of oxygen saturation & temperature at the entrance of hospital According to COVID situation.
- 2. General examination is done by Respective Consultant
- 3. Patient is registered in OPD register.
- 4. Consultant verifies the OPD case paper and write down her observation and treatment.
- 5. The procedure is done in OPD
- 6. Patient is told to empty the bladder
- 7. Lithotomy position is given to the patient
- 8. Vulval toileting with betadine solution
- 9. P/S or P/V examination is done with all aseptic precaution Drug (kwatha) preparation is done According to diseases
- 10. In this procedure vaginal canal ,fornixes, cervix are washed with medicated Luke warm kwatha
- 11. 1000 ml kwatha is taken
- 12. Procedure is conducted in all aseptic precautation
- 13. Keep Patient in observation for halfhour
- 14. After that consultant reexamine the patient for all vital sign and allow to go.

SISTED MAHALIO